



R. MEDDING & ASSOCIATES
Engineers & Consultants

Ref: RADW18158LET.DOC
Date: 3 AUGUST 2016

Engineering Manager,
Radware Ltd.,
22 Raoul Wallenberg Street,
TEL AVIV, 69710 Israel

Dear Sir,

SUBJECT: TRANSITION FROM C-TICK LABEL TO RCM FOR RADWARE ALTEON APPLICATION SWITCH 6420 (RODS-HTQ-D-2AC) WITH DUAL AC POWER SUPPLY

We refer to your request to us to arrange transition of your product the Alteon Application Switch 6420 with dual AC Power Supply as out in the Product Description Section and Table on Pg. 2 hereof from C-tick label to RCM.

We had made a Declaration of Conformity according to the Australian Communications and Media Authority and New Zealand Ministry of Business, Innovation and Employment requirements after examining the Test Reports and other documentation you have provided.

A Compliance Folder, in accordance with ACMA regulations, was set up based on this documentation.

The authority RADW17267LET dated 19 June 2013 authorising your company to label this product with a C-Tick label **is hereby withdrawn.**

Pursuant to the RCM regulations the following importer has been registered on the ACMA database:-

Westcon Group Pty. Ltd., 4/39 Herbert Street, St. Leonards, New South Wales 2065, Australia.

You must advise us of each and every new importer from now on so that they can be registered on the database, otherwise you will be in breach of the regulations and could be subject to a substantial fine.

The following documents are attached to this letter:-

Authority to Label
Labelling Instructions
Suppliers Declaration of Conformity

You are hereby authorised to apply to the abovementioned product, the label which is depicted in the attached Labelling Instruction, but only strictly in accordance with this letter, Authority to Label and the Labelling Instruction.

Yours sincerely,

A handwritten signature in black ink, appearing to read 'R. Medding', with a stylized flourish at the end.

R. MEDDING
R. MEDDING & ASSOCIATES

AUTHORITY TO LABEL

Authority No:	RADW18158AUT
Date of Authority:	3 August 2016
Product:	Alteon Application Switch 6420 (RODS-HTQ-D-2AC) also known as Alteon 6420 and Alteon 4408 XL with Dual AC Power Supply - Zippy Technology Corporation Power Supply Model No. PSS2-5A00V3V. This product is identical electronically, physically and mechanically to the products set out in the Table hereunder
Label to be applied:	RCM
Geographical Restrictions:	Australia and New Zealand
Special Conditions:	<p>A sample of the Label must be submitted to RMA for review prior to use.</p> <p>It is incumbent upon Radware Ltd. to notify R. Medding & Associates on a continuing basis of hardware and software changes for the products set out above. Notification shall be given no later than two weeks following such changes.</p> <p>Radware Ltd. must advise R. Medding & Associates of each and every new importer from now on so that they can be registered on the database, otherwise Radware Ltd. will be in breach of the regulations and could be subject to a substantial fine.</p>

Equipment under Test	Description of Product	Other Names
RODS-HTQ-D-2AC	Network Application Switch with dual AC Power Supply	Alteon 6420 Alteon 6420 XL RODS-HTQ-A-2AC RODS-HTQL-XL-A-2A ODS-HTQ DefensePro x420 ODS-HTQ XL OnDemand Switch HTQ DUAL OnDemand Switch HTQ XL DUAL Alteon 4420 RODS-HTQ-A4-2AC Alteon 4420 XL RODS-HTQ-XL-A4-A Alteon 5420 RODS-HTQ-A5-2AC Alteon 5420 XL RODS-HTQ-XL-A5-A

GENERAL CONDITIONS

- The Label shall be reproduced and affixed to the product in accordance with the Conditions set out below and in the attached Labelling Instruction.
- This Authority to Affix the Label is subject to you continuing to manufacture the product exactly as the sample tested and documentation supplied with the sample. However, you are permitted to make those changes specified in any ECO (Engineering Change Order) to which Radware Australia Pty. Ltd. has given its prior written approval.

Changes which have a regulatory impact may require a supplementary Test Report to a standard to be defined at the time of change.
- The Label must be used only on the Product referred to in this Authority to Label.

4. The Label must only be used on product sold to Radware Australia Pty. Ltd. *or to* Australian Importers who have appointed Radware Australia Pty. Ltd. as their Agent in accordance with the form of appointment held in the Compliance Folder.
5. The Label must not be used in any way which is likely to be confusing or misleading; inadequate having regard to Australian laws or ACMA requirements or damaging to the reputation of the Australian Communications and Media Authority or Radware Australia Pty. Ltd. Unauthorised misleading use of the Mark may be contrary to the Radiocommunications Act 1997, the Trade Marks Act 1995, the Telecommunications Act 1997 or the Trade Practices Act 1974.
6. Radware Australia Pty. Ltd. reserves the right to withdraw this Authority if Radware Ltd. breaches the conditions of this Authority.


Signed on behalf of R. Medding & Associates
R. Medding – Principal Consultant
Name/Position in Company
Date: 3 August 2016

LABELLING INSTRUCTION

RCM



Representation of the Mark

The mark must be reproduced exactly as shown above. No variations are permitted.

Size

The size of the “RCM” shall be a minimum of 3mm in height and the Importers Label lettering shall be a minimum of 1mm.

Location

The mark shall be located in a conspicuous position on the external surface of the equipment. The label should be placed as near as possible to the product identification code.

Durability

The mark shall be attached in a permanent manner, that is, cast or etched onto the equipment or affixed by a plate or a label which cannot be removed except by destroying or defacing the equipment.

Supplier's Declaration of Conformity

For Compliance Levels 1,2 and 3 in Australia and Levels of Conformity 1,2 and 3 in New Zealand

As required by notices under:

- section 182 of the Australian Radiocommunications Act 1992;
- section 134 of the New Zealand Radiocommunications Act 1989

INSTRUCTIONS FOR COMPLETION

This completed form remains with the supplier as part of the documentation required for the compliance records. **Do not return to the ACMA.**

SUPPLIER'S DETAILS

Name and Address of Agent

Radware Australia Pty. Ltd.,
Suite 412/434 St. Kilda Road,
MELBOURNE, Victoria 3004
Australia

ACN

092 875 262

Supplier's Code Number

N10815

PRODUCT DETAILS

Product Name, Type and Model

Alteon Application Switch 6420 (RODS-HTQ-D-2AC) also known as Alteon 6420 with dual AC Power Supply - Zippy Technology Corporation Power Supply Model No. PSS2-5A00V3V. This product is identical electronically, physically and mechanically to the products set out in the Table hereunder

APPLICABLE STANDARDS

Standard Title, Number and if applicable the Test Report Number

EN55022:2010 - Limits and Methods of Measurement of Radio Disturbance Characteristics of Information Technology Equipment. I.T.L. (Product Testing) Ltd. Report No. E127780.00 dated 28 May 2013

Equipment under Test	Description of Product	Other Names
RODS-HTQ-D-2AC	Network Application Switch with dual AC Power Supply	Alteon 6420 Alteon 6420 XL RODS-HTQ-A-2AC RODS-HTQL-XL-A-2A ODS-HTQ DefensePro x420 ODS-HTQ XL OnDemand Switch HTQ DUAL OnDemand Switch HTQ XL DUAL Alteon 4420 RODS-HTQ-A4-2AC Alteon 4420 XL RODS-HTQ-XL-A4-A Alteon 5420 RODS-HTQ-A5-2AC Alteon 5420 XL RODS-HTQ-XL-A5-A

DECLARATION

I hereby declare that the products mentioned above comply with the standards set out in the Declaration of Conformity and all products supplied under this Declaration will be identical to the sample identified above.

Signature of Authorised Person



Date

19 June 2013

Print Name

Reuben Medding

Position in Organisation

Principal Consultant



R. MEDDING & ASSOCIATES
Engineers & Consultants

Ref: RADW18159AUT.DOC
Date: 3 AUGUST 2016

Engineering Manager,
Radware Ltd.,
22 Raoul Wallenberg Street,
TEL AVIV, 69710 Israel

Dear Sir,

**SUBJECT: TRANSITION FROM C-TICK LABEL TO RCM FOR RADWARE ALTEON
APPLICATION SWITCH 6420 (RODS-HTQ-A-2AC) WITH DUAL AC
POWER SUPPLY**

We refer to your request to us to arrange transition of your product the Alteon Application Switch 6420 with dual AC Power Supply as out in the Product Description Section and Table on Pg. 2 hereof from C-tick label to RCM.

We had made a Declaration of Conformity according to the Australian Communications and Media Authority and New Zealand Ministry of Business, Innovation and Employment requirements after examining the Test Reports and other documentation you have provided.

A Compliance Folder, in accordance with ACMA regulations, was set up based on this documentation.

The authority RADW17267-B-AUT dated 10 September 2013 authorising your company to label this product with a C-Tick label is **hereby withdrawn.**

Pursuant to the RCM regulations the following importer has been registered on the ACMA database:-

Westcon Group Pty. Ltd., 4/39 Herbert Street, St. Leonards, New South Wales 2065, Australia.

You must advise us of each and every new importer from now on so that they can be registered on the database, otherwise you will be in breach of the regulations and could be subject to a substantial fine.

The following documents are attached to this letter:-

Authority to Label
Labelling Instructions
Suppliers Declaration of Conformity

You are hereby authorised to apply to the abovementioned product, the label which is depicted in the attached Labelling Instruction, but only strictly in accordance with this letter, Authority to Label and the Labelling Instruction.

Yours sincerely,

A handwritten signature in black ink, appearing to read 'R. Medding', with a stylized flourish at the end.

R. MEDDING
R. MEDDING & ASSOCIATES

AUTHORITY TO LABEL

Authority No:	RADW18159AUT
Date of Authority:	3 August 2016
Product:	Alteon Application Switch 6420 (RODS-HTQ-A-2AC) also known as DefensePro x420 (RODS-HTQ-D-2AC) and ODS-HTQ with Dual AC Power Supply - Zippy Corporation Power Supply Model No. PSS2-5A00V3V. This product is identical electronically, physically and mechanically to the products set out in the Table hereunder
Label to be applied:	RCM
Geographical Restrictions:	Australia and New Zealand
Special Conditions:	A sample of the Label must be submitted to RMA for review prior to use. It is incumbent upon Radware Ltd. to notify R. Medding & Associates on a continuing basis of hardware and software changes for the products set out above. Notification shall be given no later than two weeks following such changes. Radware Ltd. must advise R. Medding & Associates of each and every new importer from now on so that they can be registered on the database, otherwise Radware Ltd. will be in breach of the regulations and could be subject to a substantial fine.

Equipment under Test	Description of Product	Other Names
RODS-HTQ-D-2AC	Network Application Switch with dual AC Power Supply	Alteon 6420 Alteon 6420 XL RODS-HTQ-A-2AC RODS-HTQL-XL-A-2A ODS-HTQ DefensePro x420 ODS-HTQ XL OnDemand Switch HTQ DUAL OnDemand Switch HTQ XL DUAL Alteon 4420 RODS-HTQ-A4-2AC Alteon 4420 XL RODS-HTQ-XL-A4-A Alteon 5420 RODS-HTQ-A5-2AC Alteon 5420 XL RODS-HTQ-XL-A5-A

GENERAL CONDITIONS

- The Label shall be reproduced and affixed to the product in accordance with the Conditions set out below and in the attached Labelling Instruction.
- This Authority to Affix the Label is subject to you continuing to manufacture the product exactly as the sample tested and documentation supplied with the sample. However, you are permitted to make those changes specified in any ECO (Engineering Change Order) to which Radware Australia Pty. Ltd. has given its prior written approval.


Changes which have a regulatory impact may require a supplementary Test Report to a standard to be defined at the time of change.

3. The Label must be used only on the Product referred to in this Authority to Label.
4. The Label must only be used on product sold to Radware Australia Pty. Ltd. *or to* Australian Importers who have appointed Radware Australia Pty. Ltd. as their Agent in accordance with the form of appointment held in the Compliance Folder.
5. The Label must not be used in any way which is likely to be confusing or misleading; inadequate having regard to Australian laws or ACMA requirements or damaging to the reputation of the Australian Communications and Media Authority or Radware Australia Pty. Ltd. Unauthorised misleading use of the Mark may be contrary to the Radiocommunications Act 1997, the Trade Marks Act 1995, the Telecommunications Act 1997 or the Trade Practices Act 1974.
6. Radware Australia Pty. Ltd. reserves the right to withdraw this Authority if Radware Ltd. breaches the conditions of this Authority.


Signed on behalf of R. Medding & Associates
R. Medding – Principal Consultant
Name/Position in Company
Date: 3 August 2016

LABELLING INSTRUCTION

RCM



Representation of the Mark

The mark must be reproduced exactly as shown above. No variations are permitted.

Size

The size of the “RCM” shall be a minimum of 3mm in height and the Importers Label lettering shall be a minimum of 1mm.

Location

The mark shall be located in a conspicuous position on the external surface of the equipment. The label should be placed as near as possible to the product identification code.

Durability

The mark shall be attached in a permanent manner, that is, cast or etched onto the equipment or affixed by a plate or a label which cannot be removed except by destroying or defacing the equipment.

Supplier's Declaration of Conformity

For Compliance Levels 1,2 and 3 in Australia and Levels of Conformity 1,2 and 3 in New Zealand

As required by notices under:

- section 182 of the Australian Radiocommunications Act 1992;
- section 134 of the New Zealand Radiocommunications Act 1989

INSTRUCTIONS FOR COMPLETION

This completed form remains with the supplier as part of the documentation required for the compliance records. **Do not return to the ACMA.**

SUPPLIER'S DETAILS

Name and Address of Agent

Radware Australia Pty. Ltd.,
Suite 412/434 St. Kilda Road,
MELBOURNE, Victoria 3004
Australia

ACN

092 875 262

Supplier's Code Number

N10815

PRODUCT DETAILS

Product Name, Type and Model

Alteon Application Switch 6420 (RODS-HTQ-A-2AC) also known as DefensePro x420 (RODS-HTQ-D-2AC) and ODS-HTQ with Dual AC Power Supply - Zippy Corporation Power Supply Model No. PSS2-5A00V3V.

This product is identical electronically, physically and mechanically to the products set out in the Table hereunder

APPLICABLE STANDARDS

Standard Title, Number and if applicable the Test Report Number

EN55022:2010 - Limits and Methods of Measurement of Radio Disturbance Characteristics of Information Technology Equipment. I.T.L. (Product Testing) Ltd. Report No. E127780.00 dated 28 May 2013

Equipment under Test	Description of Product	Other Names
RODS-HTQ-D-2AC	Network Application Switch with dual AC Power Supply	Alteon 6420 Alteon 6420 XL RODS-HTQ-A-2AC RODS-HTQL-XL-A-2A ODS-HTQ DefensePro x420 ODS-HTQ XL OnDemand Switch HTQ DUAL OnDemand Switch HTQ XL DUAL Alteon 4420 RODS-HTQ-A4-2AC Alteon 4420 XL RODS-HTQ-XL-A4-A Alteon 5420 RODS-HTQ-A5-2AC Alteon 5420 XL RODS-HTQ-XL-A5-A

DECLARATION

I hereby declare that the products mentioned above comply with the standards set out in the Declaration of Conformity and all products supplied under this Declaration will be identical to the sample identified above.

Signature of Authorised Person



Date

10 September 2013

Print Name

Reuben Medding

Position in Organisation

Principal Consultant



R. MEDDING & ASSOCIATES
Engineers & Consultants

Ref: RADW18160AUT.DOC
Date: 3 AUGUST 2016

Engineering Manager,
Radware Ltd.,
22 Raoul Wallenberg Street,
TEL AVIV, 69710 Israel

Dear Sir,

SUBJECT: TRANSITION FROM C-TICK LABEL TO RCM FOR RADWARE ALTEON APPLICATION SWITCH 6420 (RODS-HTQ-D-2DC) WITH DUAL DC POWER SUPPLY

We refer to your request to us to arrange transition of your product the Alteon Application Switch 6420 with dual DC Power Supply as out in the Product Description Section and Table on Pg. 2 hereof from C-tick label to RCM.

We had made a Declaration of Conformity according to the Australian Communications and Media Authority and New Zealand Ministry of Business, Innovation and Employment requirements after examining the Test Reports and other documentation you have provided.

A Compliance Folder, in accordance with ACMA regulations, was set up based on this documentation.

The authority RADW17268LET dated 19 June 2013 authorising your company to label this product with a C-Tick label is **hereby withdrawn**.

Pursuant to the RCM regulations the following importer has been registered on the ACMA database:-

Westcon Group Pty. Ltd., 4/39 Herbert Street, St. Leonards, New South Wales 2065, Australia.

You must advise us of each and every new importer from now on so that they can be registered on the database, otherwise you will be in breach of the regulations and could be subject to a substantial fine.

The following documents are attached to this letter:-

Authority to Label
Labelling Instructions
Suppliers Declaration of Conformity

You are hereby authorised to apply to the abovementioned product, the label which is depicted in the attached Labelling Instruction, but only strictly in accordance with this letter, Authority to Label and the Labelling Instruction.

Yours sincerely,

A handwritten signature in black ink, appearing to read 'R. Medding', with a stylized flourish at the end.

R. MEDDING
R. MEDDING & ASSOCIATES

AUTHORITY TO LABEL

Authority No:	RADE18160AUT
Date of Authority:	3 August 2016
Product:	Alteon Application Switch 6420 (RODS-HTQ-D-2DC) also known as Alteon 6420 and Alteon 4408 XL with Dual DC Power Supply - Zippy Technology Corporation Power Supply Model No. DPSS2-5A00V3V. This product is identical electronically, physically and mechanically to the products set out in the Table hereunder
Label to be applied:	RCM
Geographical Restrictions:	Australia and New Zealand
Special Conditions:	<p>A sample of the Label must be submitted to RMA for review prior to use.</p> <p>It is incumbent upon Radware Ltd. to notify R. Medding & Associates on a continuing basis of hardware and software changes for the products set out above. Notification shall be given no later than two weeks following such changes.</p> <p>Radware Ltd. must advise R. Medding & Associates of each and every new importer from now on so that they can be registered on the database, otherwise Radware Ltd. will be in breach of the regulations and could be subject to a substantial fine.</p>

Equipment under Test	Description of Product	Other Names
RODS-HTQ-D-2DC	Network Application Switch with dual DC Power Supply	Alteon 6420 Dual DC Alteon 6420 Dual DC NEBS Alteon 6420 XL Dual DC Alteon 6420 XL Due DC NEBS RODS-HTQ-A-2DC RODS-HTQL-XL-A-2D RODS-HTQ-A-NEBS RODS-HTQ-XL-NEBS ODS-HTQ Dual DC DefensePro x420 Dual DC ODS-HTQ XL Dual DC OnDemand Switch HTQ DUAL DC OnDemand Switch HTQ XL DUAL DC Alteon 4420 DC RODS-HTQ-A4-2DC Alteon 4420 XL DC RODS-HTQ-XL-A4-D Alteon 5420 DC RODS-HTQ-A5-2DC Alteon 5420 XL DC RODS-HTQ-XL-A5-D

GENERAL CONDITIONS

- The Label shall be reproduced and affixed to the product in accordance with the Conditions set out below and in the attached Labelling Instruction.
- This Authority to Affix the Label is subject to you continuing to manufacture the product exactly as the sample tested and documentation supplied with the sample. However, you are permitted to make those changes specified in any ECO (Engineering Change Order) to which Radware Australia Pty. Ltd. has given its prior written approval.

Changes which have a regulatory impact may require a supplementary Test Report to a standard to be defined at the time of change.

3. The Label must be used only on the Product referred to in this Authority to Label.
4. The Label must only be used on product sold to Radware Australia Pty. Ltd. *or to* Australian Importers who have appointed Radware Australia Pty. Ltd. as their Agent in accordance with the form of appointment held in the Compliance Folder.
5. The Label must not be used in any way which is likely to be confusing or misleading; inadequate having regard to Australian laws or ACMA requirements or damaging to the reputation of the Australian Communications and Media Authority or Radware Australia Pty. Ltd. Unauthorised misleading use of the Mark may be contrary to the Radiocommunications Act 1997, the Trade Marks Act 1995, the Telecommunications Act 1997 or the Trade Practices Act 1974.
6. Radware Australia Pty. Ltd. reserves the right to withdraw this Authority if Radware Ltd. breaches the conditions of this Authority.


Signed on behalf of R. Medding & Associates
R. Medding – Principal Consultant
Name/Position in Company
Date: 3 August 2016

LABELLING INSTRUCTION

RCM



Representation of the Mark

The mark must be reproduced exactly as shown above. No variations are permitted.

Size

The size of the “RCM” shall be a minimum of 3mm in height and the Importers Label lettering shall be a minimum of 1mm.

Location

The mark shall be located in a conspicuous position on the external surface of the equipment. The label should be placed as near as possible to the product identification code.

Durability

The mark shall be attached in a permanent manner, that is, cast or etched onto the equipment or affixed by a plate or a label which cannot be removed except by destroying or defacing the equipment.

Supplier's Declaration of Conformity

For Compliance Levels 1,2 and 3 in Australia and Levels of Conformity 1,2 and 3 in New Zealand

As required by notices under:

- section 182 of the Australian Radiocommunications Act 1992;
- section 134 of the New Zealand Radiocommunications Act 1989

INSTRUCTIONS FOR COMPLETION

This completed form remains with the supplier as part of the documentation required for the compliance records. **Do not return to the ACMA.**

SUPPLIER'S DETAILS

Name and Address of Agent

Radware Australia Pty. Ltd.,
Suite 412/434 St. Kilda Road,
MELBOURNE, Victoria 3004
Australia

ACN

092 875 262

Supplier's Code Number

N10815

PRODUCT DETAILS

Product Name, Type and Model

Alteon Application Switch 6420 (RODS-HTQ-D-2DC) also known as Alteon 6420 with dual DC Power Supply - Zippy Technology Corporation Power Supply Model No. DPSS2-5A00V3V. This product is identical electronically, physically and mechanically to the products set out in the Table hereunder

APPLICABLE STANDARDS

Standard Title, Number and if applicable the Test Report Number

EN55022:2010 - Limits and Methods of Measurement of Radio Disturbance Characteristics of Information Technology Equipment. I.T.L. (Product Testing) Ltd. Report No. E127811.00 dated 28 May 2013

Equipment under Test	Description of Product	Other Names
RODS-HTQ-D-2DC	Network Application Switch with dual DC Power Supply	Alteon 6420 Dual DC Alteon 6420 Dual DC NEBS Alteon 6420 XL Dual DC Alteon 6420 XL Dual DC NEBS RODS-HTQ-A-2DC RODS-HTQL-XL-A-2D RODS-HTQ-A-NEBS RODS-HTQ-XL-NEBS ODS-HTQ Dual DC DefensePro x420 Dual DC ODS-HTQ XL Dual DC OnDemand Switch HTQ DUAL DC OnDemand Switch HTQ XL DUAL DC Alteon 4420 DC RODS-HTQ-A4-2DC Alteon 4420 XL DC RODS-HTQ-XL-A4-D Alteon 5420 DC RODS-HTQ-A5-2DC Alteon 5420 XL DC RODS-HTQ-XL-A5-D

DECLARATION

I hereby declare that the products mentioned above comply with the standards set out in the Declaration of Conformity and all products supplied under this Declaration will be identical to the sample identified above.

Signature of Authorised Person



Date

19 June 2013

Print Name

Reuben Medding

Position in Organisation

Principal Consultant



R. MEDDING & ASSOCIATES
Engineers & Consultants

Ref: RADW18161AUT.DOC
Date: 3 AUGUST 2016

Engineering Manager,
Radware Ltd.,
22 Raoul Wallenberg Street,
TEL AVIV, 69710 Israel

Dear Sir,

SUBJECT: TRANSITION FROM C-TICK LABEL TO RCM FOR RADWARE ALTEON APPLICATION SWITCH 6420 (RODS-HTQ-A-2DC) WITH DUAL DC POWER SUPPLY

We refer to your request to us to arrange transition of your product the Alteon Application Switch 6420 with dual DC Power Supply as out in the Product Description Section and Table on Pg. 2 hereof from C-tick label to RCM.

We had made a Declaration of Conformity according to the Australian Communications and Media Authority and New Zealand Ministry of Business, Innovation and Employment requirements after examining the Test Reports and other documentation you have provided.

A Compliance Folder, in accordance with ACMA regulations, was set up based on this documentation.

The authority RADW17268-B-AUT dated 10 September 2013 authorising your company to label this product with a C-Tick label **is hereby withdrawn.**

Pursuant to the RCM regulations the following importer has been registered on the ACMA database:-

Westcon Group Pty. Ltd., 4/39 Herbert Street, St. Leonards, New South Wales 2065, Australia.

You must advise us of each and every new importer from now on so that they can be registered on the database, otherwise you will be in breach of the regulations and could be subject to a substantial fine.

The following documents are attached to this letter:-

Authority to Label
Labelling Instructions
Suppliers Declaration of Conformity

You are hereby authorised to apply to the abovementioned product, the label which is depicted in the attached Labelling Instruction, but only strictly in accordance with this letter, Authority to Label and the Labelling Instruction.

Yours sincerely,

A handwritten signature in black ink, appearing to read 'R. Medding', with a stylized flourish at the end.

R. MEDDING
R. MEDDING & ASSOCIATES

AUTHORITY TO LABEL

Authority No:	RADW18161AUT
Date of Authority:	3 August 2016
Product:	Alteon Application Switch 6420 (RODS-HTQ-A-2DC) also known as DefensePro x420 (RODS-HTQ-D-2DC) and ODS-HTQ with dual DC Power Supply - Zippy Corporation Power Supply Model No. DPSS2-5A00V3V. This product is identical electronically, physically and mechanically to the products set out in the Table hereunder
Label to be applied:	RCM
Geographical Restrictions:	Australia and New Zealand
Special Conditions:	A sample of the Label must be submitted to RMA for review prior to use. It is incumbent upon Radware Ltd. to notify R. Medding & Associates on a continuing basis of hardware and software changes for the products set out above. Notification shall be given no later than two weeks following such changes. Radware Ltd. must advise R. Medding & Associates of each and every new importer from now on so that they can be registered on the database, otherwise Radware Ltd. will be in breach of the regulations and could be subject to a substantial fine.

Equipment under Test	Description of Product	Other Names
RODS-HTQ-D-2DC	Network Application Switch with dual DC Power Supply	Alteon 6420 Dual DC Alteon 6420 Dual DC NEBS Alteon 6420 XL Dual DC Alteon 6420 XL Due DC NEBS RODS-HTQ-A-2DC RODS-HTQL-XL-A-2D RODS-HTQ-A-NEBS RODS-HTQ-XL-NEBS ODS-HTQ Dual DC DefensePro x420 Dual DC ODS-HTQ XL Dual DC OnDemand Switch HTQ DUAL DC OnDemand Switch HTQ XL DUAL DC Alteon 4420 DC RODS-HTQ-A4-2DC Alteon 4420 XL DC RODS-HTQ-XL-A4-D Alteon 5420 DC RODS-HTQ-A5-2DC Alteon 5420 XL DC RODS-HTQ-XL-A5-D

GENERAL CONDITIONS

- The Label shall be reproduced and affixed to the product in accordance with the Conditions set out below and in the attached Labelling Instruction.
- This Authority to Affix the Label is subject to you continuing to manufacture the product exactly as the sample tested and documentation supplied with the sample. However, you are permitted to make those changes specified in any ECO (Engineering Change Order) to which Radware Australia Pty. Ltd. has given its prior written approval.

Changes which have a regulatory impact may require a supplementary Test Report to a standard to be defined at the time of change.

3. The Label must be used only on the Product referred to in this Authority to Label.
4. The Label must only be used on product sold to Radware Australia Pty. Ltd. *or to* Australian Importers who have appointed Radware Australia Pty. Ltd. as their Agent in accordance with the form of appointment held in the Compliance Folder.
5. The Label must not be used in any way which is likely to be confusing or misleading; inadequate having regard to Australian laws or ACMA requirements or damaging to the reputation of the Australian Communications and Media Authority or Radware Australia Pty. Ltd. Unauthorised misleading use of the Mark may be contrary to the Radiocommunications Act 1997, the Trade Marks Act 1995, the Telecommunications Act 1997 or the Trade Practices Act 1974.
6. Radware Australia Pty. Ltd. reserves the right to withdraw this Authority if Radware Ltd. breaches the conditions of this Authority.


Signed on behalf of R. Medding & Associates
R. Medding – Principal Consultant
Name/Position in Company
Date: 3 August 2016

LABELLING INSTRUCTION

RCM



Representation of the Mark

The mark must be reproduced exactly as shown above. No variations are permitted.

Size

The size of the “RCM” shall be a minimum of 3mm in height and the Importers Label lettering shall be a minimum of 1mm.

Location

The mark shall be located in a conspicuous position on the external surface of the equipment. The label should be placed as near as possible to the product identification code.

Durability

The mark shall be attached in a permanent manner, that is, cast or etched onto the equipment or affixed by a plate or a label which cannot be removed except by destroying or defacing the equipment.

Supplier's Declaration of Conformity

For Compliance Levels 1,2 and 3 in Australia and Levels of Conformity 1,2 and 3 in New Zealand

As required by notices under:

- section 182 of the Australian Radiocommunications Act 1992;
- section 134 of the New Zealand Radiocommunications Act 1989

INSTRUCTIONS FOR COMPLETION

This completed form remains with the supplier as part of the documentation required for the compliance records. **Do not return to the ACMA.**

SUPPLIER'S DETAILS

Name and Address of Agent

Radware Australia Pty. Ltd.,
Suite 412/434 St. Kilda Road,
MELBOURNE, Victoria 3004
Australia

ACN

092 875 262

Supplier's Code Number

N10815

PRODUCT DETAILS

Product Name, Type and Model

Alteon Application Switch 6420 (RODS-HTQ-A-2DC) also known as DefensePro x420 (RODS-HTQ-D-2DC) and ODS-HTQ with dual DC Power Supply - Zippy Corporation Power Supply Model No. DPSS2-5A00V3V.

This product is identical electronically, physically and mechanically to the products set out in the Table hereunder

APPLICABLE STANDARDS

Standard Title, Number and if applicable the Test Report Number

EN55022:2010 - Limits and Methods of Measurement of Radio Disturbance Characteristics of Information Technology Equipment. I.T.L. (Product Testing) Ltd. Report No. E127811.00 dated 28 May 2013

Equipment under Test	Description of Product	Other Names
RODS-HTQ-D-2DC	Network Application Switch with dual DC Power Supply	Alteon 6420 Dual DC Alteon 6420 Dual DC NEBS Alteon 6420 XL Dual DC Alteon 6420 XL Dual DC NEBS RODS-HTQ-A-2DC RODS-HTQL-XL-A-2D RODS-HTQ-A-NEBS RODS-HTQ-XL-NEBS ODS-HTQ Dual DC DefensePro x420 Dual DC ODS-HTQ XL Dual DC OnDemand Switch HTQ DUAL DC OnDemand Switch HTQ XL DUAL DC Alteon 4420 DC RODS-HTQ-A4-2DC Alteon 4420 XL DC RODS-HTQ-XL-A4-D Alteon 5420 DC RODS-HTQ-A5-2DC Alteon 5420 XL DC RODS-HTQ-XL-A5-D

DECLARATION

I hereby declare that the products mentioned above comply with the standards set out in the Declaration of Conformity and all products supplied under this Declaration will be identical to the sample identified above.

Signature of Authorised Person



Date

10 September 2013

Print Name

Reuben Medding

Position in Organisation

Principal Consultant



R. MEDDING & ASSOCIATES
Engineers & Consultants

Ref: RADW18162AUT.DOC
Date: 3 AUGUST 2016

Engineering Manager,
Radware Ltd.,
22 Raoul Wallenberg Street,
TEL AVIV, 69710 Israel

Dear Sir,

SUBJECT: TRANSITION FROM C-TICK LABEL TO RCM FOR RADWARE ALTEON APPLICATION SWITCH 6420 (ODS-HTQ DC) WITH SINGLE DC POWER SUPPLY

We refer to your request to us to arrange transition of your product the Alteon Application Switch 6420 with single DC Power Supply as out in the Product Description Section and Table on Pg. 2 hereof from C-tick label to RCM.

We had made a Declaration of Conformity according to the Australian Communications and Media Authority and New Zealand Ministry of Business, Innovation and Employment requirements after examining the Test Reports and other documentation you have provided.

A Compliance Folder, in accordance with ACMA regulations, was set up based on this documentation.

The authority RADW17426LET dated 24 April 2014 authorising your company to label this product with a C-Tick label is **hereby withdrawn.**

Pursuant to the RCM regulations the following importer has been registered on the ACMA database:-

Westcon Group Pty. Ltd., 4/39 Herbert Street, St. Leonards, New South Wales 2065, Australia.

You must advise us of each and every new importer from now on so that they can be registered on the database, otherwise you will be in breach of the regulations and could be subject to a substantial fine.

The following documents are attached to this letter:-

Authority to Label
Labelling Instructions
Suppliers Declaration of Conformity

You are hereby authorised to apply to the abovementioned product, the label which is depicted in the attached Labelling Instruction, but only strictly in accordance with this letter, Authority to Label and the Labelling Instruction.

Yours sincerely,

A handwritten signature in black ink, appearing to read 'R. Medding', with a stylized flourish at the end.

R. MEDDING
R. MEDDING & ASSOCIATES

AUTHORITY TO LABEL

Authority No:	RADW18162AUT
Date of Authority:	3 August 2016
Product:	Alteon Application Switch 6420 also known as ODS-HTQ DC with single DC Power Supply - Zippy Corporation Power Supply P/N DPSS2-5A00V3V. This product is identical electronically, physically and mechanically to the products set out in the Table hereunder
Label to be applied:	RCM
Geographical Restrictions:	Australia and New Zealand
Special Conditions:	A sample of the Label must be submitted to RMA for review prior to use. It is incumbent upon Radware Ltd. to notify R. Medding & Associates on a continuing basis of hardware and software changes for the products set out above. Notification shall be given no later than two weeks following such changes. Radware Ltd. must advise R. Medding & Associates of each and every new importer from now on so that they can be registered on the database, otherwise Radware Ltd. will be in breach of the regulations and could be subject to a substantial fine.

Equipment under Test	Description of Product	Other Names
Alteon 6420 XL with Extreme SSL - DC	Network Application Switch with single DC Power Supply also known as Network Switch Load Balancer	ODS-HTQ DC RODS-HTQ-A4-DC RODS-HTQ-XL-A4-D RODS-HTQ-A4-NEBS RODS-HTQS-X-NEBS Alteon 6420 NEBS Alteon 6420 DC Alteon 6420 XL DC Alteon 6420 XL NEBS DefensePro x420 DC ODS-HTQ XL DC OnDemand Switch HTQ DC OnDemand Switch HTQ XL DC

GENERAL CONDITIONS

- The Label shall be reproduced and affixed to the product in accordance with the Conditions set out below and in the attached Labelling Instruction.
- This Authority to Affix the Label is subject to you continuing to manufacture the product exactly as the sample tested and documentation supplied with the sample. However, you are permitted to make those changes specified in any ECO (Engineering Change Order) to which Radware Australia Pty. Ltd. has given its prior written approval.

Changes which have a regulatory impact may require a supplementary Test Report to a standard to be defined at the time of change.

- The Label must be used only on the Product referred to in this Authority to Label.
- The Label must only be used on product sold to Radware Australia Pty. Ltd. or to Australian Importers who have appointed Radware Australia Pty. Ltd. as their Agent in accordance with the form of appointment held in the Compliance Folder.

5. The Label must not be used in any way which is likely to be confusing or misleading; inadequate having regard to Australian laws or ACMA requirements or damaging to the reputation of the Australian Communications and Media Authority or Radware Australia Pty. Ltd. Unauthorised misleading use of the Mark may be contrary to the Radiocommunications Act 1997, the Trade Marks Act 1995, the Telecommunications Act 1997 or the Trade Practices Act 1974.
6. Radware Australia Pty. Ltd. reserves the right to withdraw this Authority if Radware Ltd. breaches the conditions of this Authority.



Signed on behalf of R. Medding & Associates

R. Medding – Principal Consultant

Name/Position in Company

Date: 3 August 2016

LABELLING INSTRUCTION

RCM



Representation of the Mark

The mark must be reproduced exactly as shown above. No variations are permitted.

Size

The size of the “RCM” shall be a minimum of 3mm in height and the Importers Label lettering shall be a minimum of 1mm.

Location

The mark shall be located in a conspicuous position on the external surface of the equipment. The label should be placed as near as possible to the product identification code.

Durability

The mark shall be attached in a permanent manner, that is, cast or etched onto the equipment or affixed by a plate or a label which cannot be removed except by destroying or defacing the equipment.

Supplier's Declaration of Conformity

For Compliance Levels 1,2 and 3 in Australia and Levels of Conformity 1,2 and 3 in New Zealand

As required by notices under:

- section 182 of the Australian Radiocommunications Act 1992;
- section 134 of the New Zealand Radiocommunications Act 1989

INSTRUCTIONS FOR COMPLETION

This completed form remains with the supplier as part of the documentation required for the compliance records. **Do not return to the ACMA.**

SUPPLIER'S DETAILS

Name and Address of Agent

Radware Australia Pty. Ltd.,
Suite 412/434 St. Kilda Road,
MELBOURNE, Victoria 3004
Australia

ACN

092 875 262

Supplier's Code Number

N10815

PRODUCT DETAILS

Product Name, Type and Model

Alteon Application Switch 6420 also known as ODS-HTQ DC with single DC Power Supply - Zippy Corporation Power Supply P/N DPSS2-5A00V3V.

This product is identical electronically, physically and mechanically to the products set out in the Table hereunder

APPLICABLE STANDARDS

Standard Title, Number and if applicable the Test Report Number

EN55022:2010+AC:2011 - Limits and Methods of Measurement of Radio Disturbance Characteristics of Information Technology Equipment. I.T.L. (Product Testing) Ltd. Report No. #132104.00 dated 9 February 2014

Equipment under Test	Description of Product	Other Names
Alteon 6420 XL with Extreme SSL - DC	Network Application Switch with single DC Power Supply also known as Network Switch Load Balancer	ODS-HTQ DC RODS-HTQ-A4-DC RODS-HTQ-XL-A4-D RODS-HTQ-A4-NEBS RODS-HTQS-X-NEBS Alteon 6420 NEBS Alteon 6420 DC Alteon 6420 XL DC Alteon 6420 XL NEBS DefensePro x420 DC ODS-HTQ XL DC OnDemand Switch HTQ DC OnDemand Switch HTQ XL DC

DECLARATION

I hereby declare that the products mentioned above comply with the standards set out in the Declaration of Conformity and all products supplied under this Declaration will be identical to the sample identified above.

Signature of Authorised Person



Date

24 April 2014

Print Name

Reuben Medding

Position in Organisation

Principal Consultant



R. MEDDING & ASSOCIATES
Engineers & Consultants

Ref: RADW18163AUT.DOC
Date: 3 AUGUST 2016

Engineering Manager,
Radware Ltd.,
22 Raoul Wallenberg Street,
TEL AVIV, 69710 Israel

Dear Sir,

SUBJECT: TRANSITION FROM C-TICK LABEL TO RCM FOR RADWARE ALTEON APPLICATION SWITCH 6420 (ODS-HTQ) WITH SINGLE AC POWER SUPPLY

We refer to your request to us to arrange transition of your product the Alteon Application Switch 6420 with single AC Power Supply as out in the Product Description Section and Table on Pg. 2 hereof from C-tick label to RCM.

We had made a Declaration of Conformity according to the Australian Communications and Media Authority and New Zealand Ministry of Business, Innovation and Employment requirements after examining the Test Reports and other documentation you have provided.

A Compliance Folder, in accordance with ACMA regulations, was set up based on this documentation.

The authority RADW17427LET dated 24 April 2014 authorising your company to label this product with a C-Tick label **is hereby withdrawn.**

Pursuant to the RCM regulations the following importer has been registered on the ACMA database:-

Westcon Group Pty. Ltd., 4/39 Herbert Street, St. Leonards, New South Wales 2065, Australia.

You must advise us of each and every new importer from now on so that they can be registered on the database, otherwise you will be in breach of the regulations and could be subject to a substantial fine.

The following documents are attached to this letter:-

Authority to Label
Labelling Instructions
Suppliers Declaration of Conformity

You are hereby authorised to apply to the abovementioned product, the label which is depicted in the attached Labelling Instruction, but only strictly in accordance with this letter, Authority to Label and the Labelling Instruction.

Yours sincerely,

A handwritten signature in black ink, appearing to read 'R. Medding', with a stylized flourish at the end.

R. MEDDING
R. MEDDING & ASSOCIATES

AUTHORITY TO LABEL

Authority No:	RADW18163AUT
Date of Authority:	3 August 2016
Product:	Alteon Application Switch 6420 also known as ODS-HTQ with single AC Power Supply - Zippy Corporation Power Supply P/N PSS2-5A00V3V. This product is identical electronically, physically and mechanically to the products set out in the Table hereunder
Label to be applied:	RCM
Geographical Restrictions:	Australia and New Zealand
Special Conditions:	A sample of the Label must be submitted to RMA for review prior to use. It is incumbent upon Radware Ltd. to notify R. Medding & Associates on a continuing basis of hardware and software changes for the products set out above. Notification shall be given no later than two weeks following such changes. Radware Ltd. must advise R. Medding & Associates of each and every new importer from now on so that they can be registered on the database, otherwise Radware Ltd. will be in breach of the regulations and could be subject to a substantial fine.

Equipment under Test	Description of Product	Other Names
Alteon 6420 XL with Extreme SSL	Network Application Switch with single AC Power Supply also known as Network Switch Load Balancer	ODS-HTQ RODS-HTQ-A4-AC RODS-HTQ-XL-A4-A Alteon 6420 Alteon 6420 XL DefensePro x420 ODS-HTQ XL OnDemand Switch HTQ OnDemand Switch HTQ XL Alteon-NG 6420 Alteon-NG 6420 XL

GENERAL CONDITIONS

1. The Label shall be reproduced and affixed to the product in accordance with the Conditions set out below and in the attached Labelling Instruction.
2. This Authority to Affix the Label is subject to you continuing to manufacture the product exactly as the sample tested and documentation supplied with the sample. However, you are permitted to make those changes specified in any ECO (Engineering Change Order) to which Radware Australia Pty. Ltd. has given its prior written approval.

Changes which have a regulatory impact may require a supplementary Test Report to a standard to be defined at the time of change.
3. The Label must be used only on the Product referred to in this Authority to Label.
4. The Label must only be used on product sold to Radware Australia Pty. Ltd. or to Australian Importers who have appointed Radware Australia Pty. Ltd. as their Agent in accordance with the form of appointment held in the Compliance Folder.
5. The Label must not be used in any way which is likely to be confusing or misleading; inadequate having regard to Australian laws or ACMA requirements or damaging to the reputation of the Australian Communications and Media Authority or Radware Australia Pty. Ltd. Unauthorised misleading use of the Mark may be contrary to the Radiocommunications Act 1997, the Trade Marks Act 1995, the Telecommunications Act 1997 or the Trade Practices Act 1974.

6. Radware Australia Pty. Ltd. reserves the right to withdraw this Authority if Radware Ltd. breaches the conditions of this Authority.


Signed on behalf of R. Medding & Associates
R. Medding – Principal Consultant
Name/Position in Company
Date: 3 August 2016

LABELLING INSTRUCTION

RCM



Representation of the Mark

The mark must be reproduced exactly as shown above. No variations are permitted.

Size

The size of the “RCM” shall be a minimum of 3mm in height and the Importers Label lettering shall be a minimum of 1mm.

Location

The mark shall be located in a conspicuous position on the external surface of the equipment. The label should be placed as near as possible to the product identification code.

Durability

The mark shall be attached in a permanent manner, that is, cast or etched onto the equipment or affixed by a plate or a label which cannot be removed except by destroying or defacing the equipment.

Supplier's Declaration of Conformity

For Compliance Levels 1,2 and 3 in Australia and Levels of Conformity 1,2 and 3 in New Zealand

As required by notices under:

- section 182 of the Australian Radiocommunications Act 1992;
- section 134 of the New Zealand Radiocommunications Act 1989

INSTRUCTIONS FOR COMPLETION

This completed form remains with the supplier as part of the documentation required for the compliance records. **Do not return to the ACMA.**

SUPPLIER'S DETAILS

Name and Address of Agent

Radware Australia Pty. Ltd.,
Suite 412/434 St. Kilda Road,
MELBOURNE, Victoria 3004
Australia

ACN

092 875 262

Supplier's Code Number

N10815

PRODUCT DETAILS

Product Name, Type and Model

Alteon Application Switch 6420 also known as ODS-HTQ with single AC Power Supply - Zippy Corporation Power Supply P/N PSS2-5A00V3V.

This product is identical electronically, physically and mechanically to the products set out in the Table hereunder

APPLICABLE STANDARDS

Standard Title, Number and if applicable the Test Report Number

EN55022:2010+AC:2011 - Limits and Methods of Measurement of Radio Disturbance Characteristics of Information Technology Equipment. I.T.L. (Product Testing) Ltd. Report No. E132100.00 dated 9 February 2014

Equipment under Test	Description of Product	Other Names
Alteon 6420 XL with Extreme SSL	Network Application Switch with single AC Power Supply also known as Network Switch Load Balancer	ODS-HTQ RODS-HTQ-A4-AC RODS-HTQ-XL-A4-A Alteon 6420 Alteon 6420 XL DefensePro x420 ODS-HTQ XL OnDemand Switch HTQ OnDemand Switch HTQ XL Alteon-NG 6420 Alteon-NG 6420 XL

DECLARATION

I hereby declare that the products mentioned above comply with the standards set out in the Declaration of Conformity and all products supplied under this Declaration will be identical to the sample identified above.

Signature of Authorised Person



Date

24 April 2014

Print Name

Reuben Medding

Position in Organisation

Principal Consultant