



R. MEDDING & ASSOCIATES
Engineers & Consultants

Ref: RADW18154AUT.DOC
Date: 3 AUGUST 2016

Engineering Manager,
Radware Ltd.,
22 Raoul Wallenberg Street,
TEL AVIV, Israel

Dear Sir,

**SUBJECT: TRANSITION FROM C-TICK LABEL TO RCM FOR ALTEON
APPLICATION SWITCH 5224 DC AND 5224 XL DC WITH SINGLE DC
POWER SUPPLY**

We refer to your request to us to arrange transition of your product the Alteon Application Switch 5224 DC and 5224 XL DC with single DC Power Supply as out in the Model Description Section and Table on Pg. 2 hereof from C-tick label to RCM.

We have made a Declaration of Conformity according to the Australian Communications and Media Authority and New Zealand Ministry of Business, Innovation and Employment requirements after examining the Test Reports and other documentation you have provided.

A Compliance Folder, in accordance with ACMA regulations, has been set up based on this documentation.

The authority RADW16910LET dated 23 November 2011 authorising your company to label this product with a C-Tick label is **hereby withdrawn.**

Pursuant to the RCM regulations the following importer has been registered on the ACMA database:-

Westcon Group Pty. Ltd., 4/39 Herbert Street, St. Leonards, New South Wales 2065, Australia.

You must advise us of each and every new importer from now on so that they can be registered on the database, otherwise you will be in breach of the regulations and could be subject to a substantial fine.

The following documents are attached to this letter:-

Authority to Label
Labelling Instructions
Suppliers Declaration of Conformity

You are hereby authorised to apply to the abovementioned product, the label which is depicted in the attached Labelling Instruction, but only strictly in accordance with this letter, Authority to Label and the Labelling Instruction.

Yours sincerely,

A handwritten signature in black ink, appearing to read 'R. Medding', with a stylized flourish at the end.

R. MEDDING
R. MEDDING & ASSOCIATES

AUTHORITY TO LABEL

Authority No:	RADW18154AUT
Date of Authority:	3 August 2016
Product:	Application Switch Alteon 5224 DC and Alteon 5224 XL DC with Zippy Technology Corporation single DC Power Supply Model No. DP1H-6350F. This product is identical electronically, physically and mechanically to the products set out in the Table hereunder
Label to be applied:	RCM
Geographical Restrictions:	Australia and New Zealand
Special Conditions:	<p>A sample of the Label must be submitted to RMA for review prior to use.</p> <p>It is incumbent upon Radware Ltd. to notify R. Medding & Associates on a continuing basis of hardware and software changes for the products set out above. Notification shall be given no later than two weeks following such changes.</p> <p>Radware Ltd. must advise R. Medding & Associates of each and every new importer from now on so that they can be registered on the database, otherwise Radware Ltd. will be in breach of the regulations and could be subject to a substantial fine.</p>


Equipment under Test	Description of Product	Other Names
ODS-LS-XL DC	Network Switch also known as Alteon Application Switch Series 4-5	Alteon 5224 DC Alteon 5224 XL DC RODS-LS-DEFDC RODS-LS-XL-DC ODS-LS DC OnDemand Switch LS DC OnDemand Switch LS XL DC

GENERAL CONDITIONS

1. The Label shall be reproduced and affixed to the product in accordance with the Conditions set out below and in the attached Labelling Instruction.
2. This Authority to Affix the Label is subject to you continuing to manufacture the product exactly as the sample tested and documentation supplied with the sample. However, you are permitted to make those changes specified in any ECO (Engineering Change Order) to which Radware Australia Pty. Ltd. has given its prior written approval.

Changes which have a regulatory impact may require a supplementary Test Report to a standard to be defined at the time of change.
3. The Label must be used only on the Product referred to in this Authority to Label.
4. The Label must only be used on product sold to Radware Australia Pty. Ltd. or to Australian Importers who have appointed Radware Australia Pty. Ltd. as their Agent in accordance with the form of appointment held in the Compliance Folder.
5. The Label must not be used in any way which is likely to be confusing or misleading; inadequate having regard to Australian laws or ACMA requirements or damaging to the reputation of the Australian Communications and Media Authority or Radware Australia Pty. Ltd. Unauthorised misleading use of the Mark may be contrary to the Radiocommunications Act 1997, the Trade Marks Act 1995, the Telecommunications Act 1997 or the Trade Practices Act 1974.

6. Radware Australia Pty. Ltd. reserves the right to withdraw this Authority if Radware Ltd. breaches the conditions of this Authority.

 Signed on behalf of R. Medding & Associates
R. Medding – Principal Consultant Name/Position in Company
Date: 3 August 2016

LABELLING INSTRUCTION

RCM



Representation of the Mark

The mark must be reproduced exactly as shown above. No variations are permitted.

Size

The size of the “RCM” shall be a minimum of 3mm in height and the Importers Label lettering shall be a minimum of 1mm.

Location

The mark shall be located in a conspicuous position on the external surface of the equipment. The label should be placed as near as possible to the product identification code.

Durability

The mark shall be attached in a permanent manner, that is, cast or etched onto the equipment or affixed by a plate or a label which cannot be removed except by destroying or defacing the equipment.

Supplier's Declaration of Conformity

For Compliance Levels 1,2 and 3 in Australia and Levels of Conformity 1,2 and 3 in New Zealand

As required by notices under:

- section 182 of the Australian Radiocommunications Act 1992;
- section 134 of the New Zealand Radiocommunications Act 1989

INSTRUCTIONS FOR COMPLETION

This completed form remains with the supplier as part of the documentation required for the compliance records. **Do not return to the ACMA.**

SUPPLIER'S DETAILS

Name and Address of Agent

Radware Australia Pty. Ltd.,
Suite 412/434 St. Kilda Road,
MELBOURNE, Victoria 3004
Australia

ACN

092 875 262

Supplier's Code Number

N10815

PRODUCT DETAILS

Product Name, Type and Model

Application Switch Alteon 5224 DC and Alteon 5224 XL DC with Zippy Technology Corporation single DC Power Supply Model No. DPIH-6350F. This product is identical electronically, physically and mechanically to the products set out in the Table hereunder

APPLICABLE STANDARDS

Standard Title, Number and if applicable the Test Report Number


EN55022:2010 - Limits and Methods of Measurement of Radio Disturbance Characteristics of Information Technology Equipment. I.T.L. (Product Testing) Ltd. Report No. 110661.00 dated 14 November 2011

Equipment under Test	Description of Product	Other Names
ODS-LS-XL DC	Network Switch also known as Alteon Application Switch Series 4-5	Alteon 5224 DC Alteon 5224 XL DC RODS-LS-DEFDC RODS-LS-XL-DC ODS-LS DC OnDemand Switch LS DC OnDemand Switch LS XL DC

DECLARATION

I hereby declare that the products mentioned above comply with the standards set out in the Declaration of Conformity and all products supplied under this Declaration will be identical to the sample identified above.

Signature of Authorised Person



Date

23 November 2011

Print Name

Reuben Medding

Position in Organisation

Principal Consultant



R. MEDDING & ASSOCIATES
Engineers & Consultants

Ref: RADW18155AUT.DOC
Date: 3 AUGUST 2016

Engineering Manager,
Radware Ltd.,
22 Raoul Wallenberg Street,
TEL AVIV, Israel

Dear Sir,

SUBJECT: TRANSITION FROM C-TICK LABEL TO RCM FOR RADWARE ALTEON APPLICATION SWITCH 5224 AND ALTEON 5224 XL WITH SINGLE AC POWER SUPPLY

We refer to your request to us to arrange transition of your product the Alteon Application Switch 5224 and 5224 XL with single AC Power Supply as out in the Model Description Section and Table on Pg. 2 hereof from C-Tick label to RCM.

We have made a Declaration of Conformity according to the Australian Communications and Media Authority and New Zealand Ministry of Business, Innovation and Employment requirements after examining the Test Reports and other documentation you have provided.

A Compliance Folder, in accordance with ACMA regulations, has been set up based on this documentation.

The authority RADW16911LET dated 23 November 2011 authorising your company to label this product with a C-Tick label is **hereby withdrawn**.

Pursuant to the RCM regulations the following importer has been registered on the ACMA database:-

Westcon Group Pty. Ltd., 4/39 Herbert Street, St. Leonards, New South Wales 2065, Australia.

You must advise us of each and every new importer from now on so that they can be registered on the database, otherwise you will be in breach of the regulations and could be subject to a substantial fine.

The following documents are attached to this letter:-

Authority to Label
Labelling Instructions
Suppliers Declaration of Conformity

You are hereby authorised to apply to the abovementioned product, the label which is depicted in the attached Labelling Instruction, but only strictly in accordance with this letter, Authority to Label and the Labelling Instruction.

Yours sincerely,

A handwritten signature in black ink, appearing to read 'R. Medding', with a stylized flourish at the end.

R. MEDDING
R. MEDDING & ASSOCIATES

AUTHORITY TO LABEL

Authority No:	RADW18155AUT
Date of Authority:	3 August 2016
Product:	Application Switch Alteon 5224 and Alteon 5224 XL with Zippy Technology Corporation AC Power Supply Model No. PIH-6350P. This product is identical electronically, physically and mechanically to the products set out in the Table hereunder
Label to be applied:	RCM
Geographical Restrictions:	Australia and New Zealand
Special Conditions:	<p>A sample of the Label must be submitted to RMA for review prior to use.</p> <p>It is incumbent upon Radware Ltd. to notify R. Medding & Associates on a continuing basis of hardware and software changes for the products set out above. Notification shall be given no later than two weeks following such changes.</p> <p>Radware Ltd. must advise R. Medding & Associates of each and every new importer from now on so that they can be registered on the database, otherwise Radware Ltd. will be in breach of the regulations and could be subject to a substantial fine.</p>


Equipment under Test	Description of Product	Other Names
ODS-LS-XL	Network Switch also known as Alteon Application Switch Series 4-5	Alteon 5224 Alteon 5224 XL RODS-LS-DEFAULT RODS-LS-XL ODS-LS OnDemand Switch LS OnDemand Switch LS XL

GENERAL CONDITIONS

1. The Label shall be reproduced and affixed to the product in accordance with the Conditions set out below and in the attached Labelling Instruction.
2. This Authority to Affix the Label is subject to you continuing to manufacture the product exactly as the sample tested and documentation supplied with the sample. However, you are permitted to make those changes specified in any ECO (Engineering Change Order) to which Radware Australia Pty. Ltd. has given its prior written approval.

Changes which have a regulatory impact may require a supplementary Test Report to a standard to be defined at the time of change.
3. The Label must be used only on the Product referred to in this Authority to Label.
4. The Label must only be used on product sold to Radware Australia Pty. Ltd. or to Australian Importers who have appointed Radware Australia Pty. Ltd. as their Agent in accordance with the form of appointment held in the Compliance Folder.
5. The Label must not be used in any way which is likely to be confusing or misleading; inadequate having regard to Australian laws or ACMA requirements or damaging to the reputation of the Australian Communications and Media Authority or Radware Australia Pty. Ltd. Unauthorised misleading use of the Mark may be contrary to the Radiocommunications Act 1997, the Trade Marks Act 1995, the Telecommunications Act 1997 or the Trade Practices Act 1974.

6. Radware Australia Pty. Ltd. reserves the right to withdraw this Authority if Radware Ltd. breaches the conditions of this Authority.

 Signed on behalf of R. Medding & Associates
R. Medding – Principal Consultant Name/Position in Company
Date: 3 August 2016

LABELLING INSTRUCTION

RCM



Representation of the Mark

The mark must be reproduced exactly as shown above. No variations are permitted.

Size

The size of the “RCM” shall be a minimum of 3mm in height and the Importers Label lettering shall be a minimum of 1mm.

Location

The mark shall be located in a conspicuous position on the external surface of the equipment. The label should be placed as near as possible to the product identification code.

Durability

The mark shall be attached in a permanent manner, that is, cast or etched onto the equipment or affixed by a plate or a label which cannot be removed except by destroying or defacing the equipment.

Supplier's Declaration of Conformity

For Compliance Levels 1,2 and 3 in Australia and Levels of Conformity 1,2 and 3 in New Zealand

As required by notices under:

- section 182 of the Australian Radiocommunications Act 1992;
- section 134 of the New Zealand Radiocommunications Act 1989

INSTRUCTIONS FOR COMPLETION

This completed form remains with the supplier as part of the documentation required for the compliance records. **Do not return to the ACMA.**

SUPPLIER'S DETAILS

Name and Address of Agent

Radware Australia Pty. Ltd.,
Suite 412/434 St. Kilda Road,
MELBOURNE, Victoria 3004
Australia

ACN

092 875 262

Supplier's Code Number

N10815

PRODUCT DETAILS

Product Name, Type and Model

Application Switch Alteon 5224 and Alteon 5224 XL with Zippy Technology Corporation AC Power Supply Model No. PIH-6350P. This product is identical electronically, physically and mechanically to the products set out in the Table hereunder

APPLICABLE STANDARDS

Standard Title, Number and if applicable the Test Report Number


EN55022:2010 - Limits and Methods of Measurement of Radio Disturbance Characteristics of Information Technology Equipment. I.T.L. (Product Testing) Ltd. Report No. E1106600.00 dated 10 November 2011

Equipment under Test	Description of Product	Other Names
ODS-LS-XL	Network Switch also known as Alteon Application Switch Series 4-5	Alteon 5224 Alteon 5224 XL RODS-LS-DEFAULT RODS-LS-XL ODS-LS OnDemand Switch LS OnDemand Switch LS XL

DECLARATION

I hereby declare that the products mentioned above comply with the standards set out in the Declaration of Conformity and all products supplied under this Declaration will be identical to the sample identified above.

Signature of Authorised Person



Date

23 November 2011

Print Name

Reuben Medding

Position in Organisation

Principal Consultant



R. MEDDING & ASSOCIATES
Engineers & Consultants

Ref: RADW18156AUT.DOC
Date: 3 AUGUST 2016

Engineering Manager,
Radware Ltd.,
22 Raoul Wallenberg Street,
TEL AVIV, Israel

Dear Sirs,

SUBJECT: TRANSITION FROM C-TICK LABEL TO RCM FOR RADWARE ALTEON APPLICATION SWITCH 5224 AND ALTEON 5224 XL WITH DUAL AC POWER SUPPLY

We refer to your request to us to arrange transition of your product the Alteon Application Switch 5224 and 5224 XL with Dual AC Power Supply as out in the Model Description Section and Table on Pg. 2 hereof from C-tick label to RCM.

We have made a Declaration of Conformity according to the Australian Communications and Media Authority and New Zealand Ministry of Business, Innovation and Employment requirements after examining the Test Reports and other documentation you have provided.

A Compliance Folder, in accordance with ACMA regulations, has been set up based on this documentation.

The authority RADW16932LET dated 7 December 2011 authorising your company to label this product with a C-Tick label is **hereby withdrawn.**

Pursuant to the RCM regulations the following importer has been registered on the ACMA database:-

Westcon Group Pty. Ltd., 4/39 Herbert Street, St. Leonards, New South Wales 2065, Australia.

You must advise us of each and every new importer from now on so that they can be registered on the database, otherwise you will be in breach of the regulations and could be subject to a substantial fine.

The following documents are attached to this letter:-

Authority to Label
Labelling Instructions
Suppliers Declaration of Conformity

You are hereby authorised to apply to the abovementioned product, the label which is depicted in the attached Labelling Instruction, but only strictly in accordance with this letter, Authority to Label and the Labelling Instruction.

Yours sincerely,

A handwritten signature in black ink, appearing to read 'R. Medding', with a stylized flourish at the end.

R. MEDDING
R. MEDDING & ASSOCIATES

AUTHORITY TO LABEL

Authority No:	RADW18156LET.doc
Date of Authority:	3 August 2016
Product:	Application Switch Alteon 5224 and Alteon 5224 XL with Dual Zippy Technology Corporation AC Power Supply P/N R1S2-5380V4V. This product is identical electronically, physically and mechanically to the products set out in the Table hereunder
Label to be applied:	RCM
Geographical Restrictions:	Australia and New Zealand
Special Conditions:	<p>A sample of the Label must be submitted to RMA for review prior to use.</p> <p>It is incumbent upon Radware Ltd. to notify R. Medding & Associates on a continuing basis of hardware and software changes for the products set out above. Notification shall be given no later than two weeks following such changes.</p> <p>Radware Ltd. must advise R. Medding & Associates of each and every new importer from now on so that they can be registered on the database, otherwise Radware Ltd. will be in breach of the regulations and could be subject to a substantial fine.</p>


Equipment under Test	Description of Product	Other Names
ODS-LS-XL DUAL	Network Switch also known as Alteon Application Switch Series 4-5	Alteon 5224 DUAL Alteon 5224 XL DUAL RODS-LS-DUAL RODS-LS-XL-2AC ODS-LS DUAL OnDemand Switch LS DUAL OnDemand Switch LS XL DUAL

GENERAL CONDITIONS

1. The Label shall be reproduced and affixed to the product in accordance with the Conditions set out below and in the attached Labelling Instruction.
2. This Authority to Affix the Label is subject to you continuing to manufacture the product exactly as the sample tested and documentation supplied with the sample. However, you are permitted to make those changes specified in any ECO (Engineering Change Order) to which Radware Australia Pty. Ltd. has given its prior written approval.

Changes which have a regulatory impact may require a supplementary Test Report to a standard to be defined at the time of change.
3. The Label must be used only on the Product referred to in this Authority to Label.
4. The Label must only be used on product sold to Radware Australia Pty. Ltd. *or to* Australian Importers who have appointed Radware Australia Pty. Ltd. as their Agent in accordance with the form of appointment held in the Compliance Folder.
5. The Label must not be used in any way which is likely to be confusing or misleading; inadequate having regard to Australian laws or ACMA requirements or damaging to the reputation of the Australian Communications and Media Authority or Radware Australia Pty. Ltd. Unauthorised misleading use of the Mark may be contrary to the Radiocommunications Act 1997, the Trade Marks Act 1995, the Telecommunications Act 1997 or the Trade Practices Act 1974.

6. Radware Australia Pty. Ltd. reserves the right to withdraw this Authority if Radware Ltd. breaches the conditions of this Authority.


Signed on behalf of R. Medding & Associates
R. Medding – Principal Consultant
Name/Position in Company
Date: 3 August 2016

LABELLING INSTRUCTION

RCM



Representation of the Mark

The mark must be reproduced exactly as shown above. No variations are permitted.

Size

The size of the “RCM” shall be a minimum of 3mm in height and the Importers Label lettering shall be a minimum of 1mm.

Location

The mark shall be located in a conspicuous position on the external surface of the equipment. The label should be placed as near as possible to the product identification code.

Durability

The mark shall be attached in a permanent manner, that is, cast or etched onto the equipment or affixed by a plate or a label which cannot be removed except by destroying or defacing the equipment.

Supplier's Declaration of Conformity

For Compliance Levels 1,2 and 3 in Australia and Levels of Conformity 1,2 and 3 in New Zealand

As required by notices under:

- section 182 of the Australian Radiocommunications Act 1992;
- section 134 of the New Zealand Radiocommunications Act 1989

INSTRUCTIONS FOR COMPLETION

This completed form remains with the supplier as part of the documentation required for the compliance records. **Do not return to the ACMA.**

SUPPLIER'S DETAILS

Name and Address of Agent

Radware Australia Pty. Ltd.,
Suite 412/434 St. Kilda Road,
MELBOURNE, Victoria 3004
Australia

ACN

092 875 262

Supplier's Code Number

N10815

PRODUCT DETAILS

Product Name, Type and Model

Application Switch Alteon 5224 and Alteon 5224 XL with Dual Zippy Technology Corporation AC Power Supply P/N R1S2-5380V4V. This product is identical electronically, physically and mechanically to the products set out in the Table hereunder

APPLICABLE STANDARDS

Standard Title, Number and if applicable the Test Report Number


EN55022:2010 - Limits and Methods of Measurement of Radio Disturbance Characteristics of Information Technology Equipment. I.T.L. (Product Testing) Ltd. Report No. E111120.00 dated 20 November 2011

Equipment under Test	Description of Product	Other Names
ODS-LS-XL DUAL	Network Switch also known as Alteon Application Switch Series 4-5	Alteon 5224 DUAL Alteon 5224 XL DUAL RODS-LS-DUAL RODS-LS-XL-2AC ODS-LS DUAL OnDemand Switch LS DUAL OnDemand Switch LS XL DUAL

DECLARATION

I hereby declare that the products mentioned above comply with the standards set out in the Declaration of Conformity and all products supplied under this Declaration will be identical to the sample identified above.

Signature of Authorised Person



Date

7 December 2011

Print Name

Reuben Medding

Position in Organisation

Principal Consultant



R. MEDDING & ASSOCIATES
Engineers & Consultants

Ref: RADW18157AUT.DOC
Date: 3 AUGUST 2016

Engineering Manager,
Radware Ltd.,
22 Raoul Wallenberg Street,
TEL AVIV, Israel

Dear Sir,

SUBJECT: TRANSITION FROM C-TICK LABEL TO RCM FOR RADWARE ALTEON APPLICATION SWITCH 5224 AND ALTEON 5224 XL WITH DUAL DC POWER SUPPLY

We refer to your request to us to arrange transition of your product the Alteon Application Switch 5224 and 5224 XL with Dual DC Power Supply as out in the Model Description Section and Table on Pg. 2 hereof from C-tick label to RCM.

We have made a Declaration of Conformity according to the Australian Communications and Media Authority and New Zealand Ministry of Business, Innovation and Employment requirements after examining the Test Reports and other documentation you have provided.

A Compliance Folder, in accordance with ACMA regulations, has been set up based on this documentation.

The authority RADW16934LET dated 12 December 2011 authorising your company to label this product with a C-Tick label is **hereby withdrawn**.

Pursuant to the RCM regulations the following importer has been registered on the ACMA database:-

Westcon Group Pty. Ltd., 4/39 Herbert Street, St. Leonards, New South Wales 2065, Australia.

You must advise us of each and every new importer from now on so that they can be registered on the database, otherwise you will be in breach of the regulations and could be subject to a substantial fine.

The following documents are attached to this letter:-

Authority to Label
Labelling Instructions
Suppliers Declaration of Conformity

You are hereby authorised to apply to the abovementioned product, the label which is depicted in the attached Labelling Instruction, but only strictly in accordance with this letter, Authority to Label and the Labelling Instruction.

Yours sincerely,

A handwritten signature in black ink, appearing to read 'R. Medding', with a stylized flourish at the end.

R. MEDDING
R. MEDDING & ASSOCIATES

AUTHORITY TO LABEL

Authority No:	RADW18157AUT
Date of Authority:	3 August 2016
Product:	Application Switch Alteon 5224 and Alteon 5224 XL with Dual Zippy Technology Corporation DC Power Supply P/N DR1S2-5380V4V. This product is identical electronically, physically and mechanically to the products set out in the Table hereunder
Label to be applied:	RCM
Geographical Restrictions:	Australia and New Zealand
Special Conditions:	<p>A sample of the Label must be submitted to RMA for review prior to use.</p> <p>It is incumbent upon Radware Ltd. to notify R. Medding & Associates on a continuing basis of hardware and software changes for the products set out above. Notification shall be given no later than two weeks following such changes.</p> <p>Radware Ltd. must advise R. Medding & Associates of each and every new importer from now on so that they can be registered on the database, otherwise Radware Ltd. will be in breach of the regulations and could be subject to a substantial fine.</p>


Equipment under Test	Description of Product	Other Names
ODS-LS-XL DUAL DC	Network Switch also known as Alteon Application Switch Series 4-5	Alteon 5224 DUAL DC Alteon 5224 XL DUAL DC RODS-LS-DUALDC RODS-LS-XL-2DC ODS-LS DUAL DC OnDemand Switch LS DUAL DC OnDemand Switch LS XL DUAL DC

GENERAL CONDITIONS

1. The Label shall be reproduced and affixed to the product in accordance with the Conditions set out below and in the attached Labelling Instruction.
2. This Authority to Affix the Label is subject to you continuing to manufacture the product exactly as the sample tested and documentation supplied with the sample. However, you are permitted to make those changes specified in any ECO (Engineering Change Order) to which Radware Australia Pty. Ltd. has given its prior written approval.

Changes which have a regulatory impact may require a supplementary Test Report to a standard to be defined at the time of change.
3. The Label must be used only on the Product referred to in this Authority to Label.
4. The Label must only be used on product sold to Radware Australia Pty. Ltd. *or to* Australian Importers who have appointed Radware Australia Pty. Ltd. as their Agent in accordance with the form of appointment held in the Compliance Folder.
5. The Label must not be used in any way which is likely to be confusing or misleading; inadequate having regard to Australian laws or ACMA requirements or damaging to the reputation of the Australian Communications and Media Authority or Radware Australia Pty. Ltd. Unauthorised misleading use of the Mark may be contrary to the Radiocommunications Act 1997, the Trade Marks Act 1995, the Telecommunications Act 1997 or the Trade Practices Act 1974.

6. Radware Australia Pty. Ltd. reserves the right to withdraw this Authority if Radware Ltd. breaches the conditions of this Authority.


Signed on behalf of R. Medding & Associates
R. Medding – Principal Consultant
Name/Position in Company
Date: 12 December 2011

LABELLING INSTRUCTION

RCM



Representation of the Mark

The mark must be reproduced exactly as shown above. No variations are permitted.

Size

The size of the “RCM” shall be a minimum of 3mm in height and the Importers Label lettering shall be a minimum of 1mm.

Location

The mark shall be located in a conspicuous position on the external surface of the equipment. The label should be placed as near as possible to the product identification code.

Durability

The mark shall be attached in a permanent manner, that is, cast or etched onto the equipment or affixed by a plate or a label which cannot be removed except by destroying or defacing the equipment.

Supplier's Declaration of Conformity

For Compliance Levels 1,2 and 3 in Australia and Levels of Conformity 1,2 and 3 in New Zealand

As required by notices under:

- section 182 of the Australian Radiocommunications Act 1992;
- section 134 of the New Zealand Radiocommunications Act 1989

INSTRUCTIONS FOR COMPLETION

This completed form remains with the supplier as part of the documentation required for the compliance records. **Do not return to the ACMA.**

SUPPLIER'S DETAILS

Name and Address of Agent

Radware Australia Pty. Ltd.,
Suite 412/434 St. Kilda Road,
MELBOURNE, Victoria 3004
Australia

ACN

092 875 262

Supplier's Code Number

N10815

PRODUCT DETAILS

Product Name, Type and Model

Application Switch Alteon 5224 and Alteon 5224 XL with Dual Zippy Technology Corporation DC Power Supply P/N DR1S2-5380V4V. This product is identical electronically, physically and mechanically to the products set out in the Table hereunder

APPLICABLE STANDARDS

Standard Title, Number and if applicable the Test Report Number


EN55022:2010 - Limits and Methods of Measurement of Radio Disturbance Characteristics of Information Technology Equipment. I.T.L. (Product Testing) Ltd. Report No. E111123.00 dated 20 November 2011

Equipment under Test	Description of Product	Other Names
ODS-LS-XL DUAL DC	Network Switch also known as Alteon Application Switch Series 4-5	Alteon 5224 DUAL DC Alteon 5224 XL DUAL DC RODS-LS-DUALDC RODS-LS-XL-2DC ODS-LS DUAL DC OnDemand Switch LS DUAL DC OnDemand Switch LS XL DUAL DC

DECLARATION

I hereby declare that the products mentioned above comply with the standards set out in the Declaration of Conformity and all products supplied under this Declaration will be identical to the sample identified above.

Signature of Authorised Person



Date

12 December 2011

Print Name

Reuben Medding

Position in Organisation

Principal Consultant