



R. MEDDING & ASSOCIATES
Engineers & Consultants

Ref: RADW18148AUTdoc
Date: 3 AUGUST 2016

Engineering Manager,
Radware Ltd.,
22 Raoul Wallenberg Street,
TEL AVIV, Israel

Dear Sir,

**SUBJECT: TRANSITION FROM C-TICK LABEL TO RCM FOR RADWARE
ONDEMAND SWITCH VL - MODEL ODS-VL-XL-AC (including GBIC
Model Optech OP6C-TX1-00-C2)**

We refer to your request to us to arrange transition of your product the OnDemand Switch VL as out in the Model Description Section on Pg. 2 hereof.

We had made a Declaration of Conformity according to the Australian Communications and Media Authority and New Zealand Ministry of Business, Innovation and Employment requirements after examining the Test Reports and other documentation you provided.

A Compliance Folder, in accordance with ACMA regulations, was set up based on this documentation.

The authority RADW16349LET dated 16 November 2009 authorising your company to label this product with a C-Tick label **is hereby withdrawn.**

We have detected a typing error in the Power Supply Model No. in the Product Details section of the Supplier's Declaration of Conformity dated 16 November 2009 and have therefore re-issued the Declaration which now shows the correct Power Supply Model No.

Pursuant to the RCM regulations the following importer has been registered on the ACMA database:-

Westcon Group Pty. Ltd., 4/39 Herbert Street, St. Leonards, New South Wales 2065, Australia.

You must advise us of each and every new importer from now on so that they can be registered on the database, otherwise you will be in breach of the regulations and could be subject to a substantial fine.

The following documents are attached to this letter:-

Authority to Label x 2
Labelling Instructions
Suppliers Declaration of Conformity

You are hereby authorised to apply to the abovementioned product, the label which is depicted in the attached Labelling Instruction, but only strictly in accordance with this letter, Authority to Label and the Labelling Instruction.

Yours sincerely,

A handwritten signature in black ink, appearing to read 'R. Medding', with a stylized flourish at the end.

R. MEDDING
R. MEDDING & ASSOCIATES


AUTHORITY TO LABEL

Authority No:	RADW18148AUT
Date of Authority:	3 August 2016
Product:	OnDemand Switch VL Model ODS-VL-XL AC with GBIC Model Optech OP6C-TX1-00-C2 installed and using a single Zippy Technology Corporation AC Switching Power Supply P/N B001250114, M/N HIU-6250P. This product is identical electronically, physically and mechanically to RODS-VL-SFP, RODS-VL-SFP-L, RODS-VL-I, RODS-VL-A-SFP, RODS-VL-A-XL, ODS-VL, AppDirector XY08, LinkProof XY08, APWall XY08, AppXcel XY08, AppXML XY08, SIP Directors XY08, Alteon XY08, Inflight XY08, Virtual Director XY08, APSolute Vision (Insite) XY02, DefencePro XY08, Content Inspection Director (CID) XY08 (where X=0-9, Y=0-9 for throughput level definition per software licence purchased by the customer)
Label to be applied:	RCM
Geographical Restrictions:	Australia and New Zealand
Special Conditions:	<p>A sample of the Label must be submitted to RMA for review prior to use.</p> <p>It is incumbent upon Radware Ltd. to notify R. Medding & Associates on a continuing basis of hardware and software changes for the products set out above. Notification shall be given no later than two weeks following such changes.</p> <p>Radware Ltd. must advise R. Medding & Associates of each and every new importer from now on so that they can be registered on the database, otherwise Radware Ltd. will be in breach of the regulations and could be subject to a substantial fine.</p>

GENERAL CONDITIONS

1. The Label shall be reproduced and affixed to the product in accordance with the Conditions set out below and in the attached Labelling Instruction.
2. This Authority to Affix the Label is subject to you continuing to manufacture the product exactly as the sample tested and documentation supplied with the sample. However, you are permitted to make those changes specified in any ECO (Engineering Change Order) to which Radware Australia Pty. Ltd. has given its prior written approval.

Changes which have a regulatory impact may require a supplementary Test Report to a standard to be defined at the time of change.
3. The Label must be used only on the Product referred to in this Authority to Label.
4. The Label must only be used on product sold to Radware Australia Pty. Ltd. *or to* Australian Importers who have appointed Radware Australia Pty. Ltd. as their Agent in accordance with the form of appointment held in the Compliance Folder.
5. The Label must not be used in any way which is likely to be confusing or misleading; inadequate having regard to Australian laws or ACMA requirements or damaging to the reputation of the Australian Communications and Media Authority or Radware Australia Pty. Ltd. Unauthorised misleading use of the Mark may be contrary to the Radiocommunications Act 1997, the Trade Marks Act 1995, the Telecommunications Act 1997 or the Trade Practices Act 1974.
6. Radware Australia Pty. Ltd. reserves the right to withdraw this Authority if Radware Ltd. breaches the conditions of this Authority.


Signed on behalf of R. Medding & Associates
R. Medding – Principal Consultant
Name/Position in Company
Date: 3 August 2016

LABELLING INSTRUCTION

RCM



Representation of the Mark

The mark must be reproduced exactly as shown above. No variations are permitted.

Size

The size of the “RCM” shall be a minimum of 3mm in height and the Importers Label lettering shall be a minimum of 1mm.

Location

The mark shall be located in a conspicuous position on the external surface of the equipment. The label should be placed as near as possible to the product identification code.

Durability

The mark shall be attached in a permanent manner, that is, cast or etched onto the equipment or affixed by a plate or a label which cannot be removed except by destroying or defacing the equipment.

Supplier's Declaration of Conformity

For Compliance Levels 1,2 and 3 in Australia and Levels of Conformity 1,2 and 3 in New Zealand

As required by notices under:

- section 182 of the Australian Radiocommunications Act 1992;
- section 134 of the New Zealand Radiocommunications Act 1989

INSTRUCTIONS FOR COMPLETION

This completed form remains with the supplier as part of the documentation required for the compliance records. **Do not return to the ACMA.**

SUPPLIER'S DETAILS

Name and Address of Agent

Radware Australia Pty. Ltd.,
Suite 412/434 St. Kilda Road,
MELBOURNE, Victoria 3004
Australia

ACN

092 875 262

Supplier's Code Number

N10815

PRODUCT DETAILS

Product Name, Type and Model

OnDemand Switch VL Model ODS-VL-XL AC with GBIC Model Optech OP6C-TX1-00-C2 installed and using a single Zippy Technology Corporation AC Switching Power Supply P/N B001440041, M/N DP1H-6350F. . This product is identical electronically, physically and mechanically to RODS-VL-SFP, RODS-VL-SFP-L, RODS-VL-I, RODS-VL-A-SFP, RODS-VL-A-XL, ODS-VL, AppDirector XY08, LinkProof XY08, APWall XY08, AppXcel XY08, AppXML XY08, SIP Directors XY08, Alteon XY08, Inflight XY08, Virtual Director XY08, APSolute Vision (Insite) XY02, DefencePro XY08, Content Inspection Director (CID) XY08 (where X=0-9, Y=0-9 for throughput level definition per software licence purchased by the customer)

APPLICABLE STANDARDS


Standard Title, Number and if applicable the Test Report Number

EN55022:2006+ A1:2007 - Limits and Methods of Measurement of Radio Disturbance Characteristics of Information Technology Equipment. I.T.L. (Product Testing) Ltd. Report No. E92530.00 dated 12 October 2009

DECLARATION

I hereby declare that the product mentioned above complies with the above mentioned standards and all products supplied under this Declaration will be identical to the sample identified above.

Signature of Authorised Person



Date

16 November 2009

Print Name

Reuben Medding

Position in Organisation

Principal Consultant

Supplier's Declaration of Conformity

For Compliance Levels 1,2 and 3 in Australia and Levels of Conformity 1,2 and 3 in New Zealand

As required by notices under:

- section 182 of the Australian Radiocommunications Act 1992;
- section 134 of the New Zealand Radiocommunications Act 1989

INSTRUCTIONS FOR COMPLETION

This completed form remains with the supplier as part of the documentation required for the compliance records. **Do not return to the ACMA.**

SUPPLIER'S DETAILS

Name and Address of Agent

Radware Australia Pty. Ltd.,
Suite 412/434 St. Kilda Road,
MELBOURNE, Victoria 3004
Australia

ACN

092 875 262

Supplier's Code Number

N10815

PRODUCT DETAILS

Product Name, Type and Model

OnDemand Switch VL Model ODS-VL-XL AC with GBIC Model Optech OP6C-TX1-00-C2 installed and using a single Zippy Technology Corporation AC Switching Power Supply P/N B001250114, M/N H1U-6250P. This product is identical electronically, physically and mechanically to RODS-VL-SFP, RODS-VL-SFP-L, RODS-VL-I, RODS-VL-A-SFP, RODS-VL-A-XL, ODS-VL, AppDirector XY08, LinkProof XY08, APWall XY08, AppXcel XY08, AppXML XY08, SIP Directors XY08, Alteon XY08, Inflight XY08, Virtual Director XY08, APSolute Vision (Insite) XY02, DefencePro XY08, Content Inspection Director (CID) XY08 (where X=0-9, Y=0-9 for throughput level definition per software licence purchased by the customer)

APPLICABLE STANDARDS


Standard Title, Number and if applicable the Test Report Number

EN55022:2006+ A1:2007 - Limits and Methods of Measurement of Radio Disturbance Characteristics of Information Technology Equipment. I.T.L. (Product Testing) Ltd. Report No. E92530.00 dated 12 October 2009

DECLARATION

I hereby declare that the product mentioned above complies with the above mentioned standards and all products supplied under this Declaration will be identical to the sample identified above.

Signature of Authorised Person



Date

3 August 2016

Print Name

Reuben Medding

Position in Organisation

Principal Consultant



R. MEDDING & ASSOCIATES
Engineers & Consultants

Ref: RADW18149AUT.doc
Date: 3 AUGUST 2016

Engineering Manager,
Radware Ltd.,
22 Raoul Wallenberg Street,
TEL AVIV, Israel

Dear Sir,

**SUBJECT: TRANSITION FROM C-TICK LABEL TO RCM FOR RADWARE
ONDEMAND SWITCH VL - MODEL ODS-VL-XL-DC (including GBIC
Model Optech OP6C-TX1-00-C2)**

We refer to your request to us to arrange transition of your product the OnDemand Switch VL as out in the Model Description Section on Pg. 2 hereof.

We have made a Declaration of Conformity according to the Australian Communications and Media Authority and New Zealand Ministry of Business, Innovation and Employment requirements after examining the Test Reports and other documentation you have provided.

A Compliance Folder, in accordance with ACMA regulations, has been set up based on this documentation.

The authority RADW16332LET dated 16 November 2009 authorising your company to label this product with a C-Tick label **is hereby withdrawn.**

Pursuant to the RCM regulations the following importer has been registered on the ACMA database:-

Westcon Group Pty. Ltd., 4/39 Herbert Street, St. Leonards, New South Wales 2065, Australia.

You must advise us of each and every new importer from now on so that they can be registered on the database, otherwise you will be in breach of the regulations and could be subject to a substantial fine.

The following documents are attached to this letter:-

Authority to Label
Labelling Instructions
Suppliers Declaration of Conformity

You are hereby authorised to apply to the abovementioned product, the label which is depicted in the attached Labelling Instruction, but only strictly in accordance with this letter, Authority to Label and the Labelling Instruction.

Yours sincerely,

A handwritten signature in black ink, appearing to read 'R. Medding', with a stylized flourish at the end.

R. MEDDING
R. MEDDING & ASSOCIATES


AUTHORITY TO LABEL

Authority No:	RADW18149AUT
Date of Authority:	3 August 2016
Product:	OnDemand Switch VL Model ODS-VL-XL DC with GBIC Model Optech OP6C-TX1-00-C2 installed and using a single Zippy Technology Corporation DC Switching Power Supply P/N B001440041, M/N DP1H-6350F. This product is identical electronically, physically and mechanically to RODS-VL-SFP-DC, RODS-VL-SFP-DC-L, RODS-VL-I-DC, RODS-VL-A-SFP-DC, RODS-VL-A-XL-DC, ODS-VL DC, AppDirector XY08 with DC power supply, LinkProof XY08 with DC power supply, APWall XY08 with DC power supply, AppXcel XY08 with DC power supply, AppXML XY08 with DC power supply, SIP Directors XY08 with DC power supply, Alteon XY08 with DC power supply, Inflight XY08 with DC power supply, Virtual Director XY08 with DC power supply, APSolute Vision (Insite) XY02 with DC power supply, DefencePro XY08 with DC power supply, Content Inspection Director (CID) XY08 with DC power supply (where X=0-9, Y=0-9 for throughput level definition per software licence purchased by the customer)
Label to be applied:	RCM
Geographical Restrictions:	Australia and New Zealand
Special Conditions:	<p>A sample of the Label must be submitted to RMA for review prior to use.</p> <p>It is incumbent upon Radware Ltd. to notify R. Medding & Associates on a continuing basis of hardware and software changes for the products set out above. Notification shall be given no later than two weeks following such changes.</p> <p>Radware Ltd. must advise R. Medding & Associates of each and every new importer from now on so that they can be registered on the database, otherwise Radware Ltd. will be in breach of the regulations and could be subject to a substantial fine.</p>

GENERAL CONDITIONS

1. The Label shall be reproduced and affixed to the product in accordance with the Conditions set out below and in the attached Labelling Instruction.
2. This Authority to Affix the Label is subject to you continuing to manufacture the product exactly as the sample tested and documentation supplied with the sample. However, you are permitted to make those changes specified in any ECO (Engineering Change Order) to which Radware Australia Pty. Ltd. has given its prior written approval.

Changes which have a regulatory impact may require a supplementary Test Report to a standard to be defined at the time of change.
3. The Label must be used only on the Product referred to in this Authority to Label.
4. The Label must only be used on product sold to Radware Australia Pty. Ltd. or to Australian Importers who have appointed Radware Australia Pty. Ltd. as their Agent in accordance with the form of appointment held in the Compliance Folder.
5. The Label must not be used in any way which is likely to be confusing or misleading; inadequate having regard to Australian laws or ACMA requirements or damaging to the reputation of the Australian Communications and Media Authority or Radware Australia Pty. Ltd. Unauthorised misleading use of the Mark may be contrary to the Radiocommunications Act 1997, the Trade Marks Act 1995, the Telecommunications Act 1997 or the Trade Practices Act 1974.
6. Radware Australia Pty. Ltd. reserves the right to withdraw this Authority if Radware Ltd. breaches the conditions of this Authority.


Signed on behalf of R. Medding & Associates
R. Medding – Principal Consultant
Name/Position in Company
Date: 3 August 2016

LABELLING INSTRUCTION

RCM



Representation of the Mark

The mark must be reproduced exactly as shown above. No variations are permitted.

Size

The size of the “RCM” shall be a minimum of 3mm in height and the Importers Label lettering shall be a minimum of 1mm.

Location

The mark shall be located in a conspicuous position on the external surface of the equipment. The label should be placed as near as possible to the product identification code.

Durability

The mark shall be attached in a permanent manner, that is, cast or etched onto the equipment or affixed by a plate or a label which cannot be removed except by destroying or defacing the equipment.

Supplier's Declaration of Conformity

For Compliance Levels 1,2 and 3 in Australia and Levels of Conformity 1,2 and 3 in New Zealand

As required by notices under:

- section 182 of the Australian Radiocommunications Act 1992;
- section 134 of the New Zealand Radiocommunications Act 1989

INSTRUCTIONS FOR COMPLETION

This completed form remains with the supplier as part of the documentation required for the compliance records. **Do not return to the ACMA.**

SUPPLIER'S DETAILS

Name and Address of Agent

Radware Australia Pty. Ltd.,
Suite 412/434 St. Kilda Road,
MELBOURNE, Victoria 3004
Australia

ACN

092 875 262

Supplier's Code Number

N10815

PRODUCT DETAILS

Product Name, Type and Model

OnDemand Switch VL Model ODS-VL-XL DC with GBIC Model Optech OP6C-TX1-00-C2 installed and using a single Zippy Technology Corporation DC Switching Power Supply P/N B001440041, M/N DP1H-6350F. . This product is identical electronically, physically and mechanically to RODS-VL-SFP-DC, RODS-VL-SFP-DC-L, RODS-VL-I-DC, RODS-VL-A-SFP-DC, RODS-VL-A-XL-DC, ODS-VL DC, AppDirector XY08 with DC power supply, LinkProof XY08 with DC power supply, APWall XY08 with DC power supply, AppXcel XY08 with DC power supply, AppXML XY08 with DC power supply, SIP Directors XY08 with DC power supply, Alteon XY08 with DC power supply, Inflight XY08 with DC power supply, Virtual Director XY08 with DC power supply, APSolute Vision (Insite) XY02 with DC power supply, DefencePro XY08 with DC power supply, Content Inspection Director (CID) XY08 with DC power supply (where X=0-9, Y=0-9 for throughput level definition per software licence purchased by the customer)

APPLICABLE STANDARDS

Standard Title, Number and if applicable the Test Report Number

EN55022:2006+ A1:2007 - Limits and Methods of Measurement of Radio Disturbance Characteristics of Information Technology Equipment. I.T.L. (Product Testing) Ltd. Report No. E92531.00 dated 12 October 2009

DECLARATION

I hereby declare that the product mentioned above complies with the above mentioned standards and all products supplied under this Declaration will be identical to the sample identified above.

Signature of Authorised Person

Date

16 November 2009

Print Name

Reuben Medding

Position in Organisation

Principal Consultant



R. MEDDING & ASSOCIATES
Engineers & Consultants

Ref: RADW18169AUT.DOC
Date: 3 AUGUST 2016

Engineering Manager,
Radware Ltd.,
22 Raoul Wallenberg Street,
TEL AVIV, 69710 Israel

Dear 'sir,

SUBJECT: TRANSITION FROM C-TICK LABEL TO RCM FOR RADWARE ALTEON APPLICATION SWITCH 4408 WITH DUAL AC REDUNDANT POWER SUPPLY

We refer to your request to us to arrange transition of your product the Alteon Application Switch 4408 with dual AC Redundant Power Supply as out in the Product Description Section and Table on Pg. 2 hereof from C-tick label to RCM.

We had made a Declaration of Conformity according to the Australian Communications and Media Authority and New Zealand Ministry of Business, Innovation and Employment requirements after examining the Test Reports and other documentation you have provided.

A Compliance Folder, in accordance with ACMA regulations, was set up based on this documentation.

The authority RADW16622LET dated 8 September 2010 authorising your company to label this product with a C-Tick label **is hereby withdrawn.**

Pursuant to the RCM regulations the following importer has been registered on the ACMA database:-

Westcon Group Pty. Ltd., 4/39 Herbert Street, St. Leonards, New South Wales 2065, Australia.

You must advise us of each and every new importer from now on so that they can be registered on the database, otherwise you will be in breach of the regulations and could be subject to a substantial fine.

The following documents are attached to this letter:-

Authority to Label
Labelling Instructions
Suppliers Declaration of Conformity

You are hereby authorised to apply to the abovementioned product, the label which is depicted in the attached Labelling Instruction, but only strictly in accordance with this letter, Authority to Label and the Labelling Instruction.

Yours sincerely,

A handwritten signature in black ink, appearing to read 'R. Medding', with a stylized flourish at the end.

R. MEDDING
R. MEDDING & ASSOCIATES

AUTHORITY TO LABEL

Authority No:	RADW18169AUT
Date of Authority:	3 August 2016
Product:	Alteon Application Switch 4408 Dual also known as Alteon 4408 Dual and Alteon 4408 XL Dual with two AC Redundant Power Supplies - Zippy Technology Corporation Power Supply Model No. M1S2-5400V4H. This product is identical electronically, physically and mechanically to the products set out in the Table hereunder
Label to be applied:	RCM
Geographical Restrictions:	Australia and New Zealand
Special Conditions:	<p>A sample of the Label must be submitted to RMA for review prior to use.</p> <p>It is incumbent upon Radware Ltd. to notify R. Medding & Associates on a continuing basis of hardware and software changes for the products set out above. Notification shall be given no later than two weeks following such changes.</p> <p>Radware Ltd. must advise R. Medding & Associates of each and every new importer from now on so that they can be registered on the database, otherwise Radware Ltd. will be in breach of the regulations and could be subject to a substantial fine.</p>

Equipment under Test	Description of Product	Other Names
ODS-VL-XL Dual AC	OnDemand Switch VL with Redundant Power Supply	Alteon 4408 Dual Alteon 4408 XL Dual RODS-VL-XL-DUAL RODS-VL-DUAL RODS-VL-DUAL-L RODS-VL-I-DUAL RODS-VL-A-DUAL RODS-VL-A-XL-2AC AppDirector Dual AppDirector XL Dual LinkProof Dual AppWall Dual AppXcel Dual AppXML Dual SIP Director Dual InFlight Dual Virtual Director Dual APSolute Vision Dual DefensePro Dual Content Inspection Director (CID) Dual OnDemand Switch VL Dual AC OnDemand Switch VL XL Dual AC ODS-VL Dual AC

GENERAL CONDITIONS

- The Label shall be reproduced and affixed to the product in accordance with the Conditions set out below and in the attached Labelling Instruction.
- This Authority to Affix the Label is subject to you continuing to manufacture the product exactly as the sample tested and documentation supplied with the sample. However, you are permitted to make those changes specified in any ECO (Engineering Change Order) to which Radware Australia Pty. Ltd. has given its prior written approval.

Changes which have a regulatory impact may require a supplementary Test Report to a standard to be defined at the time of change.

3. The Label must be used only on the Product referred to in this Authority to Label.
4. The Label must only be used on product sold to Radware Australia Pty. Ltd. *or to* Australian Importers who have appointed Radware Australia Pty. Ltd. as their Agent in accordance with the form of appointment held in the Compliance Folder.
5. The Label must not be used in any way which is likely to be confusing or misleading; inadequate having regard to Australian laws or ACMA requirements or damaging to the reputation of the Australian Communications and Media Authority or Radware Australia Pty. Ltd. Unauthorised misleading use of the Mark may be contrary to the Radiocommunications Act 1997, the Trade Marks Act 1995, the Telecommunications Act 1997 or the Trade Practices Act 1974.
6. Radware Australia Pty. Ltd. reserves the right to withdraw this Authority if Radware Ltd. breaches the conditions of this Authority.



Signed on behalf of R. Medding & Associates

R. Medding – Principal Consultant

Name/Position in Company

Date: 3 August 2016

LABELLING INSTRUCTION

RCM



Representation of the Mark

The mark must be reproduced exactly as shown above. No variations are permitted.

Size

The size of the “RCM” shall be a minimum of 3mm in height and the Importers Label lettering shall be a minimum of 1mm.

Location

The mark shall be located in a conspicuous position on the external surface of the equipment. The label should be placed as near as possible to the product identification code.

Durability

The mark shall be attached in a permanent manner, that is, cast or etched onto the equipment or affixed by a plate or a label which cannot be removed except by destroying or defacing the equipment.

Supplier's Declaration of Conformity

For Compliance Levels 1,2 and 3 in Australia and Levels of Conformity 1,2 and 3 in New Zealand

As required by notices under:

- section 182 of the Australian Radiocommunications Act 1992;
- section 134 of the New Zealand Radiocommunications Act 1989

INSTRUCTIONS FOR COMPLETION

This completed form remains with the supplier as part of the documentation required for the compliance records. **Do not return to the ACMA.**

SUPPLIER'S DETAILS

Name and Address of Agent

Radware Australia Pty. Ltd.,
Suite 412/434 St. Kilda Road,
MELBOURNE, Victoria 3004
Australia

ACN

092 875 262

Supplier's Code Number

N10815

PRODUCT DETAILS

Product Name, Type and Model

Alteon Application Switch 4408 Dual also known as Alteon 4408 Dual and Alteon Application Switch 4408 XL Dual with two AC Redundant Power Supplies - Zippy Technology Corporation Power Supply Model No. M1S2-5400V4H. This product is identical electronically, physically and mechanically to the products set out in the Table hereunder

APPLICABLE STANDARDS

Standard Title, Number and if applicable the Test Report Number


EN55022:2006+A1:2007 - Limits and Methods of Measurement of Radio Disturbance Characteristics of Information Technology Equipment. I.T.L. (Product Testing) Ltd. Report No. E100436.00 dated 26 July 2010

Equipment under Test	Description of Product	Other Names
ODS-VL-XL Dual AC	OnDemand Switch VL with Redundant Power Supply	Alteon 4408 Dual Alteon 4408 XL Dual RODS-VL-XL-DUAL RODS-VL-DUAL RODS-VL-DUAL-L RODS-VL-I-DUAL RODS-VL-A-DUAL RODS-VL-A-XL-2AC AppDirector Dual AppDirector XL Dual LinkProof Dual AppWall Dual AppXcel Dual AppXML Dual SIP Director Dual InFlight Dual Virtual Director Dual APSolute Vision Dual DefensePro Dual Content Inspection Director (CID) Dual OnDemand Switch VL Dual AC OnDemand Switch VL XL Dual AC ODS-VL Dual AC

DECLARATION

I hereby declare that the products mentioned above comply with the standards set out in the Declaration of Conformity and all products supplied under this Declaration will be identical to the sample identified above.

Signature of Authorised Person



Date

8 September 2010

Print Name

Reuben Medding

Position in Organisation

Principal Consultant



R. MEDDING & ASSOCIATES
Engineers & Consultants

Ref: RADW18170AUT.DOC
Date: 3 AUGUST 2016

Engineering Manager,
Radware Ltd.,
22 Raoul Wallenberg Street,
TEL AVIV, Israel

Dear Sir,

SUBJECT: TRANSITION FROM C-TICK LABEL TO RCM FOR RADWARE ALTEON APPLICATION SWITCH 4408 WITH DUAL DC REDUNDANT POWER SUPPLY

We refer to your request to us to arrange transition of your product the Alteon Application Switch 4408 with dual DC Redundant Power Supply as out in the Product Description Section and Table on Pg. 2 hereof from C-Tick to RCM.

We had made a Declaration of Conformity according to the Australian Communications and Media Authority and New Zealand Ministry of Business, Innovation and Employment requirements after examining the Test Reports and other documentation you have provided.

A Compliance Folder, in accordance with ACMA regulations, was set up based on this documentation.

The authority RADW16623LET dated 8 September 2010 authorising your company to label this product with a C-Tick label **is hereby withdrawn.**

Pursuant to the RCM regulations the following importer has been registered on the ACMA database:-

Westcon Group Pty. Ltd., 4/39 Herbert Street, St. Leonards, New South Wales 2065, Australia.

You must advise us of each and every new importer from now on so that they can be registered on the database, otherwise you will be in breach of the regulations and could be subject to a substantial fine.

The following documents are attached to this letter:-

Authority to Label
Labelling Instructions
Suppliers Declaration of Conformity

You are hereby authorised to apply to the abovementioned product, the label which is depicted in the attached Labelling Instruction, but only strictly in accordance with this letter, Authority to Label and the Labelling Instruction.

Yours sincerely,

A handwritten signature in black ink, appearing to read 'R. Medding', with a stylized flourish at the end.

R. MEDDING
R. MEDDING & ASSOCIATES

AUTHORITY TO LABEL

Authority No:	RADW168170AUT
Date of Authority:	3 August 2016
Product:	Alteon Application Switch 4408 Dual DC also known as Alteon 4408 Dual DC and Alteon 4408 XL Dual DC with two Redundant Power Supplies - Zippy Technology Corporation Power Supply Model No. DM1S2-5400V4H. This product is identical electronically, physically and mechanically to the products set out in the Table hereunder
Label to be applied:	RCM
Geographical Restrictions:	Australia and New Zealand
Special Conditions:	<p>A sample of the Label must be submitted to RMA for review prior to use.</p> <p>It is incumbent upon Radware Ltd. to notify R. Medding & Associates on a continuing basis of hardware and software changes for the products set out above. Notification shall be given no later than two weeks following such changes.</p> <p>Radware Ltd. must advise R. Medding & Associates of each and every new importer from now on so that they can be registered on the database, otherwise Radware Ltd. will be in breach of the regulations and could be subject to a substantial fine.</p>

Equipment under Test	Description of Product	Other Names
ODS-VL-XL Dual DC	OnDemand Switch VL with Redundant Power Supply	Alteon 4408 Dual DC Alteon 4408 XL Dual DC RODS-VL-DUDC RODS-VL-XL-DUDC RODS-VL-DUDC-L RODS-VL-I-DUDC RODS-VL-A-DUDC RODS-VL-A-XL-2DC AppDirector Dual DC AppDirector XL Dual DC LinkProof Dual DC AppWall Dual DC AppXcel Dual DC AppXML Dual DC SIP Director Dual DC InFlight Dual DC Virtual Director Dual DC APSolute Vision Dual DC DefensePro Dual DC Content Inspection Director (CID) Dual DC OnDemand Switch VL Dual DC OnDemand Switch VL XL Dual DC ODS-VL Dual DC

GENERAL CONDITIONS

- The Label shall be reproduced and affixed to the product in accordance with the Conditions set out below and in the attached Labelling Instruction.

2. This Authority to Affix the Label is subject to you continuing to manufacture the product exactly as the sample tested and documentation supplied with the sample. However, you are permitted to make those changes specified in any ECO (Engineering Change Order) to which Radware Australia Pty. Ltd. has given its prior written approval.

Changes which have a regulatory impact may require a supplementary Test Report to a standard to be defined at the time of change.

3. The Label must be used only on the Product referred to in this Authority to Label.
4. The Label must only be used on product sold to Radware Australia Pty. Ltd. or to Australian Importers who have appointed Radware Australia Pty. Ltd. as their Agent in accordance with the form of appointment held in the Compliance Folder.
5. The Label must not be used in any way which is likely to be confusing or misleading; inadequate having regard to Australian laws or ACMA requirements or damaging to the reputation of the Australian Communications and Media Authority or Radware Australia Pty. Ltd. Unauthorised misleading use of the Mark may be contrary to the Radiocommunications Act 1997, the Trade Marks Act 1995, the Telecommunications Act 1997 or the Trade Practices Act 1974.
6. Radware Australia Pty. Ltd. reserves the right to withdraw this Authority if Radware Ltd. breaches the conditions of this Authority.



Signed on behalf of R. Medding & Associates

R. Medding – Principal Consultant

Name/Position in Company

Date: 3 August 2016

LABELLING INSTRUCTION

RCM



Representation of the Mark

The mark must be reproduced exactly as shown above. No variations are permitted.

Size

The size of the “RCM” shall be a minimum of 3mm in height and the Importers Label lettering shall be a minimum of 1mm.

Location

The mark shall be located in a conspicuous position on the external surface of the equipment. The label should be placed as near as possible to the product identification code.

Durability

The mark shall be attached in a permanent manner, that is, cast or etched onto the equipment or affixed by a plate or a label which cannot be removed except by destroying or defacing the equipment.

Supplier's Declaration of Conformity

For Compliance Levels 1,2 and 3 in Australia and Levels of Conformity 1,2 and 3 in New Zealand

As required by notices under:

- section 182 of the Australian Radiocommunications Act 1992;
- section 134 of the New Zealand Radiocommunications Act 1989

INSTRUCTIONS FOR COMPLETION

This completed form remains with the supplier as part of the documentation required for the compliance records. **Do not return to the ACMA.**

SUPPLIER'S DETAILS

Name and Address of Agent

Radware Australia Pty. Ltd.,
Suite 412/434 St. Kilda Road,
MELBOURNE, Victoria 3004
Australia

ACN

092 875 262

Supplier's Code Number

N10815

PRODUCT DETAILS

Product Name, Type and Model

Alteon Application Switch 4408 Dual DC also known as Alteon 4408 Dual DC and Alteon 4408 XL Dual DC with two Redundant Power Supplies - Zippy Technology Corporation Power Supply Model No. DM1S2-5400V4H. This product is identical electronically, physically and mechanically to the products set out in the Table hereunder

APPLICABLE STANDARDS

Standard Title, Number and if applicable the Test Report Number


EN55022:2006+ A1:2007 - Limits and Methods of Measurement of Radio Disturbance Characteristics of Information Technology Equipment. I.T.L. (Product Testing) Ltd. Report No. E100438.00 dated 26 July 2010

Equipment under Test	Description of Product	Other Names
ODS-VL-XL Dual DC	OnDemand Switch VL with Redundant Power Supply	Alteon 4408 Dual DC Alteon 4408 XL Dual DC RODS-VL-DUDC RODS-VL-XL-DUDC RODS-VL-DUDC-L RODS-VL-I-DUDC RODS-VL-A-DUDC RODS-VL-A-XL-2DC AppDirector Dual DC AppDirector XL Dual DC LinkProof Dual DC AppWall Dual DC AppXcel Dual DC AppXML Dual DC SIP Director Dual DC InFlight Dual DC Virtual Director Dual DC APSolute Vision Dual DC DefensePro Dual DC Content Inspection Director (CID) Dual DC OnDemand Switch VL Dual DC OnDemand Switch VL XL Dual DC ODS-VL Dual DC

DECLARATION

I hereby declare that the products mentioned above comply with the standards set out in the Declaration of Conformity and all products supplied under this Declaration will be identical to the sample identified above.

Signature of Authorised Person



Date

8 September 2010

Print Name

Reuben Medding

Position in Organisation

Principal Consultant



R. MEDDING & ASSOCIATES
Engineers & Consultants

Ref: RADW18171AUT.DOC
Date: 3 AUGUST 2016

Engineering Manager,
Radware Ltd.,
22 Raoul Wallenberg Street,
TEL AVIV, 69710 Israel

Dear Sir,

SUBJECT: TRANSITION FROM C-TICK LABEL TO RCM FOR RADWARE ALTEON APPLICATION SWITCH 4408 WITH SINGLE AC POWER SUPPLY

We refer to your request to us to arrange transition of your product the Alteon Application Switch 4408 with single AC Power Supply as out in the Product Description Section and Table on Pg. 2 hereof from C-tick label to RCM.

We had made a Declaration of Conformity according to the Australian Communications and Media Authority and New Zealand Ministry of Business, Innovation and Employment requirements after examining the Test Reports and other documentation you have provided.

A Compliance Folder, in accordance with ACMA regulations, was set up based on this documentation.

The authority RADW16624LET dated 8 September 2010 authorising your company to label this product with a C-Tick label **is hereby withdrawn.**

Pursuant to the RCM regulations the following importer has been registered on the ACMA database:-

Westcon Group Pty. Ltd., 4/39 Herbert Street, St. Leonards, New South Wales 2065, Australia.

You must advise us of each and every new importer from now on so that they can be registered on the database, otherwise you will be in breach of the regulations and could be subject to a substantial fine.

The following documents are attached to this letter:-

Authority to Label
Labelling Instructions
Suppliers Declaration of Conformity

You are hereby authorised to apply to the abovementioned product, the label which is depicted in the attached Labelling Instruction, but only strictly in accordance with this letter, Authority to Label and the Labelling Instruction.

Yours sincerely,

A handwritten signature in black ink, appearing to read 'R. Medding', with a stylized flourish at the end.

R. MEDDING
R. MEDDING & ASSOCIATES

AUTHORITY TO LABEL

Authority No:	RADW18171AUT
Date of Authority:	3 August 2016
Product:	Alteon Application Switch 4408 also known as Alteon 4408 and Alteon 4408 XL with single AC Power Supply - Zippy Technology Corporation Power Supply Model No. H1U-6250P. This product is identical electronically, physically and mechanically to the products set out in the Table hereunder
Label to be applied:	RCM
Geographical Restrictions:	Australia and New Zealand
Special Conditions:	<p>A sample of the Label must be submitted to RMA for review prior to use.</p> <p>It is incumbent upon Radware Ltd. to notify R. Medding & Associates on a continuing basis of hardware and software changes for the products set out above. Notification shall be given no later than two weeks following such changes.</p> <p>Radware Ltd. must advise R. Medding & Associates of each and every new importer from now on so that they can be registered on the database, otherwise Radware Ltd. will be in breach of the regulations and could be subject to a substantial fine.</p>


Equipment under Test	Description of Product	Other Names
ODS-VL-XL AC	OnDemand Switch VL with single AC Power Supply	Alteon 4408 Alteon 4408 XL RODS-VL-SFP RODS-VL-XL RODS-VL-SFP-L RODS-VL-I RODS-VL-A-SFP RODS-VL-A-XL ODS-VL AppDirector AppDirector XL LinkProof AppWall AppXcel AppXML SIP Director InFlight Virtual Director APSolute Vision DefensePro Content Inspection Director (CID) OnDemand Switch VL OnDemand Switch VL XL

GENERAL CONDITIONS

- The Label shall be reproduced and affixed to the product in accordance with the Conditions set out below and in the attached Labelling Instruction.
- This Authority to Affix the Label is subject to you continuing to manufacture the product exactly as the sample tested and documentation supplied with the sample. However, you are permitted to make those changes specified in any ECO (Engineering Change Order) to which Radware Australia Pty. Ltd. has given its prior written approval.

Changes which have a regulatory impact may require a supplementary Test Report to a standard to be defined at the time of change.

3. The Label must be used only on the Product referred to in this Authority to Label.
4. The Label must only be used on product sold to Radware Australia Pty. Ltd. *or to* Australian Importers who have appointed Radware Australia Pty. Ltd. as their Agent in accordance with the form of appointment held in the Compliance Folder.
5. The Label must not be used in any way which is likely to be confusing or misleading; inadequate having regard to Australian laws or ACMA requirements or damaging to the reputation of the Australian Communications and Media Authority or Radware Australia Pty. Ltd. Unauthorised misleading use of the Mark may be contrary to the Radiocommunications Act 1997, the Trade Marks Act 1995, the Telecommunications Act 1997 or the Trade Practices Act 1974.
6. Radware Australia Pty. Ltd. reserves the right to withdraw this Authority if Radware Ltd. breaches the conditions of this Authority.


Signed on behalf of R. Medding & Associates
R. Medding – Principal Consultant
Name/Position in Company
Date: 3 August 2016

LABELLING INSTRUCTION

RCM



Representation of the Mark

The mark must be reproduced exactly as shown above. No variations are permitted.

Size

The size of the “RCM” shall be a minimum of 3mm in height and the Importers Label lettering shall be a minimum of 1mm.

Location

The mark shall be located in a conspicuous position on the external surface of the equipment. The label should be placed as near as possible to the product identification code.

Durability

The mark shall be attached in a permanent manner, that is, cast or etched onto the equipment or affixed by a plate or a label which cannot be removed except by destroying or defacing the equipment.

Supplier's Declaration of Conformity

For Compliance Levels 1,2 and 3 in Australia and Levels of Conformity 1,2 and 3 in New Zealand

As required by notices under:

- section 182 of the Australian Radiocommunications Act 1992;
- section 134 of the New Zealand Radiocommunications Act 1989

INSTRUCTIONS FOR COMPLETION

This completed form remains with the supplier as part of the documentation required for the compliance records. **Do not return to the ACMA.**

SUPPLIER'S DETAILS

Name and Address of Agent

Radware Australia Pty. Ltd.,
Suite 412/434 St. Kilda Road,
MELBOURNE, Victoria 3004
Australia

ACN

092 875 262

Supplier's Code Number

N10815

PRODUCT DETAILS

Product Name, Type and Model

Alteon Application Switch 4408 also known as Alteon 4408 and Alteon 4408 XL with single AC Power Supply - Zippy Technology Corporation Power Supply Model No. H1U-6250P. This product is identical electronically, physically and mechanically to the products set out in the Table hereunder

APPLICABLE STANDARDS

Standard Title, Number and if applicable the Test Report Number


EN55022:2006+A1:2007 - Limits and Methods of Measurement of Radio Disturbance Characteristics of Information Technology Equipment. I.T.L. (Product Testing) Ltd. Report No. E100430.00 dated 25 July 2010

Equipment under Test	Description of Product	Other Names
ODS-VL-XL AC	OnDemand Switch VL with single AC Power Supply	Alteon 4408 Alteon 4408 XL RODS-VL-SFP RODS-VL-XL RODS-VL-SFP-L RODS-VL-I RODS-VL-A-SFP RODS-VL-A-XL ODS-VL AppDirector AppDirector XL LinkProof AppWall AppXcel AppXML SIP Director InFlight Virtual Director APSolute Vision DefensePro Content Inspection Director (CID) OnDemand Switch VL OnDemand Switch VL XL

DECLARATION

I hereby declare that the products mentioned above comply with the standards set out in the Declaration of Conformity and all products supplied under this Declaration will be identical to the sample identified above.

Signature of Authorised Person



Date

8 September 2010

Print Name

Reuben Medding

Position in Organisation

Principal Consultant



R. MEDDING & ASSOCIATES
Engineers & Consultants

Ref: RADW18172AUT.DOC
Date: 3 AUGUST 2016

Engineering Manager,
Radware Ltd.,
22 Raoul Wallenberg Street,
TEL AVIV, 69710 Israel

Dear Sir,

SUBJECT: TRANSITION FROM C-TICK LABEL TO RCM FOR RADWARE ALTEON APPLICATION SWITCH 4408 WITH SINGLE DC POWER SUPPLY

We refer to your request to us to arrange transition of your product the Alteon Application Switch 4408 with single DC Power Supply as out in the Product Description Section and Table on Pg. 2 hereof from C-tick label to RCM.

We had made a Declaration of Conformity according to the Australian Communications and Media Authority and New Zealand Ministry of Business, Innovation and Employment requirements after examining the Test Reports and other documentation you have provided.

A Compliance Folder, in accordance with ACMA regulations, was set up based on this documentation.

The authority RADW16625LET dated 8 September 2010 authorising your company to label this product with a C-Tick label **is hereby withdrawn.**

Pursuant to the RCM regulations the following importer has been registered on the ACMA database:-

Westcon Group Pty. Ltd., 4/39 Herbert Street, St. Leonards, New South Wales 2065, Australia.

You must advise us of each and every new importer from now on so that they can be registered on the database, otherwise you will be in breach of the regulations and could be subject to a substantial fine.

The following documents are attached to this letter:-

Authority to Label
Labelling Instructions
Suppliers Declaration of Conformity

You are hereby authorised to apply to the abovementioned product, the label which is depicted in the attached Labelling Instruction, but only strictly in accordance with this letter, Authority to Label and the Labelling Instruction.

Yours sincerely,

A handwritten signature in black ink, appearing to read 'R. Medding', with a stylized flourish at the end.

R. MEDDING
R. MEDDING & ASSOCIATES

AUTHORITY TO LABEL

Authority No:	RADW18172AUT
Date of Authority:	3 August 2016
Product:	Alteon Application Switch 4408 DC also known as Alteon 4408 DC and Alteon 4408 XL DC with single DC Power Supply - Zippy Technology Corporation Power Supply Model No. DP1H-3250F. This product is identical electronically, physically and mechanically to the products set out in the Table hereunder
Label to be applied:	RCM
Geographical Restrictions:	Australia and New Zealand
Special Conditions:	<p>A sample of the Label must be submitted to RMA for review prior to use.</p> <p>It is incumbent upon Radware Ltd. to notify R. Medding & Associates on a continuing basis of hardware and software changes for the products set out above. Notification shall be given no later than two weeks following such changes.</p> <p>Radware Ltd. must advise R. Medding & Associates of each and every new importer from now on so that they can be registered on the database, otherwise Radware Ltd. will be in breach of the regulations and could be subject to a substantial fine.</p>


Equipment under Test	Description of Product	Other Names
ODS-VL-XL DC	OnDemand Switch VL with single DC Power Supply	Alteon 4408 DC Alteon 4408 XL DC RODS-VL-SFP DC RODS-VL-XL-DC RODS-VL-SFP-DC-L RODS-VL-I-DC RODS-VL-A-SFP-DC RODS-VL-A-XL-DC ODS-VL DC AppDirector DC AppDirector XL DC LinkProof DC AppWall DC AppXcel DC AppXML DC SIP Director DC InFlight DC Virtual Director DC APSolute Vision DC DefensePro DC Content Inspection Director (CID) DC OnDemand Switch VL DC OnDemand Switch VL XL DC

GENERAL CONDITIONS

- The Label shall be reproduced and affixed to the product in accordance with the Conditions set out below and in the attached Labelling Instruction.
- This Authority to Affix the Label is subject to you continuing to manufacture the product exactly as the sample tested and documentation supplied with the sample. However, you are permitted to make those changes specified in any ECO (Engineering Change Order) to which Radware Australia Pty. Ltd. has given its prior written approval.

Changes which have a regulatory impact may require a supplementary Test Report to a standard to be defined at the time of change.

3. The Label must be used only on the Product referred to in this Authority to Label.
4. The Label must only be used on product sold to Radware Australia Pty. Ltd. *or to* Australian Importers who have appointed Radware Australia Pty. Ltd. as their Agent in accordance with the form of appointment held in the Compliance Folder.
5. The Label must not be used in any way which is likely to be confusing or misleading; inadequate having regard to Australian laws or ACMA requirements or damaging to the reputation of the Australian Communications and Media Authority or Radware Australia Pty. Ltd. Unauthorised misleading use of the Mark may be contrary to the Radiocommunications Act 1997, the Trade Marks Act 1995, the Telecommunications Act 1997 or the Trade Practices Act 1974.
6. Radware Australia Pty. Ltd. reserves the right to withdraw this Authority if Radware Ltd. breaches the conditions of this Authority.


Signed on behalf of R. Medding & Associates
R. Medding – Principal Consultant
Name/Position in Company
Date: 3 August 2016

LABELLING INSTRUCTION

RCM



Representation of the Mark

The mark must be reproduced exactly as shown above. No variations are permitted.

Size

The size of the “RCM” shall be a minimum of 3mm in height and the Importers Label lettering shall be a minimum of 1mm.

Location

The mark shall be located in a conspicuous position on the external surface of the equipment. The label should be placed as near as possible to the product identification code.

Durability

The mark shall be attached in a permanent manner, that is, cast or etched onto the equipment or affixed by a plate or a label which cannot be removed except by destroying or defacing the equipment.

Supplier's Declaration of Conformity

For Compliance Levels 1,2 and 3 in Australia and Levels of Conformity 1,2 and 3 in New Zealand

As required by notices under:

- section 182 of the Australian Radiocommunications Act 1992;
- section 134 of the New Zealand Radiocommunications Act 1989

INSTRUCTIONS FOR COMPLETION

This completed form remains with the supplier as part of the documentation required for the compliance records. **Do not return to the ACMA.**

SUPPLIER'S DETAILS

Name and Address of Agent

Radware Australia Pty. Ltd.,
Suite 412/434 St. Kilda Road,
MELBOURNE, Victoria 3004
Australia

ACN

092 875 262

Supplier's Code Number

N10815

PRODUCT DETAILS

Product Name, Type and Model

Alteon Application Switch 4408 DC also known as Alteon 4408 DC and Alteon 4408 XL DC with single DC Power Supply - Zippy Technology Corporation Power Supply Model No. DP1H-3250F. This product is identical electronically, physically and mechanically to the products set out in the Table hereunder

APPLICABLE STANDARDS

Standard Title, Number and if applicable the Test Report Number


EN55022:2006+A1:2007 - Limits and Methods of Measurement of Radio Disturbance Characteristics of Information Technology Equipment. I.T.L. (Product Testing) Ltd. Report No. E100431.00 dated 26 July 2010

Equipment under Test	Description of Product	Other Names
ODS-VL-XL DC	OnDemand Switch VL with single DC Power Supply	Alteon 4408 DC Alteon 4408 XL DC RODS-VL-SFP DC RODS-VL-XL-DC RODS-VL-SFP-DC-L RODS-VL-I-DC RODS-VL-A-SFP-DC RODS-VL-A-XL-DC ODS-VL DC AppDirector DC AppDirector XL DC LinkProof DC AppWall DC AppXcel DC AppXML DC SIP Director DC InFlight DC Virtual Director DC APSolute Vision DC DefensePro DC Content Inspection Director (CID) DC OnDemand Switch VL DC OnDemand Switch VL XL DC

DECLARATION

I hereby declare that the products mentioned above comply with the standards set out in the Declaration of Conformity and all products supplied under this Declaration will be identical to the sample identified above.

Signature of Authorised Person



Date

8 September 2010

Print Name

Reuben Medding

Position in Organisation

Principal Consultant