



R. MEDDING & ASSOCIATES
Engineers & Consultants

Ref: RADW18146AUT
Date: 3 August 2016

Engineering Manager,
Radware Ltd.,
22 Raoul Wallenberg Street,
TEL AVIV, Israel

Dear Sir,

**SUBJECT: TRANSITION FROM C-TICK LABEL TO RCM FOR RADWARE
ONDEMAND SWITCH 3 - VARIOUS AC MODELS**

We refer to your request to us to arrange transition of your product the OnDemand Switch 3 as set out in the Model Description Section on Pg. 2 hereof from C-Tick label to RCM.

We have made a Declaration of Conformity according to the Australian Communications and Media Authority and New Zealand Ministry of Business, Innovation and Employment requirements after examining the Test Reports and other documentation you have provided.

A Compliance Folder, in accordance with ACMA regulations, has been set up based on this documentation.

The authority RADW16701LET dated 22 November 2010 authorising your company to label this product with a C-Tick label **is hereby withdrawn.**

Pursuant to the RCM regulations the following importer has been registered on the ACMA database:-

Westcon Group Pty. Ltd.,4/39 Herbert Street, St. Leonards, New South Wales 2065, Australia.

You must advise us of each and every new importer from now on so that they can be registered on the database, otherwise you will be in breach of the regulations and could be subject to a substantial fine.

The following documents are attached to this letter:-

Authority to Label
Labelling Instructions
Suppliers Declaration of Conformity

You are hereby authorised to apply to the abovementioned product, the label which is depicted in the attached Labelling Instruction, but only strictly in accordance with this letter, Authority to Label and the Labelling Instruction.

Yours sincerely,

A handwritten signature in black ink, appearing to read 'R. Medding', with a stylized flourish at the end.

R. MEDDING
R. MEDDING & ASSOCIATES


AUTHORITY TO LABEL

Authority No:	RADW18146AUT
Date of Authority:	3 August 2016
Product:	Network Switch Model Nos. OnDemand Switch 3 (RODS3-DEFAULT), OnDemand Switch 3 (RODS3-S1-DEFAULT), OnDemand Switch 3 (RODS3-S2-DEFAULT), ODS3, AppDirector, LinkProof, AppWall, AppXcel, AppXML, SIP Director, InFlight, Virtual Director, APSolute Vision, DefensePro, Content Inspection Director (CID)) and OnDemand Switch 3 all installed with Dual AC Power Supply Zippy DMRW 6400F connected to a 230V line
Label to be applied:	RCM
Geographical Restrictions:	Australia and New Zealand
Special Conditions:	<p>A sample of the Label must be submitted to RMA for review prior to use.</p> <p>It is incumbent upon Radware Ltd. to notify R. Medding & Associates on a continuing basis of hardware and software changes for the products set out above. Notification shall be given no later than two weeks following such changes.</p> <p>Radware Ltd. must advise R. Medding & Associates of each and every new importer from now on so that they can be registered on the database, otherwise Radware Ltd. will be in breach of the regulations and could be subject to a substantial fine.</p>

GENERAL CONDITIONS

1. The Label shall be reproduced and affixed to the product in accordance with the Conditions set out below and in the attached Labelling Instruction.
2. This Authority to Affix the Label is subject to you continuing to manufacture the product exactly as the sample tested and documentation supplied with the sample. However, you are permitted to make those changes specified in any ECO (Engineering Change Order) to which Radware Australia Pty. Ltd. has given its prior written approval.

Changes which have a regulatory impact may require a supplementary Test Report to a standard to be defined at the time of change.
3. The Label must be used only on the Product referred to in this Authority to Label.
4. The Label must only be used on product sold to Radware Australia Pty. Ltd. *or* to Australian Importers who have appointed Radware Australia Pty. Ltd. as their Agent in accordance with the form of appointment held in the Compliance Folder.
5. The Label must not be used in any way which is likely to be confusing or misleading; inadequate having regard to Australian laws or ACMA requirements or damaging to the reputation of the Australian Communications and Media Authority or Radware Australia Pty. Ltd. Unauthorised or misleading use of the Mark may be contrary to the Radiocommunications Act 1997, the Trade Marks Act 1995, the Telecommunications Act 1997 or the Trade Practices Act 1974.
6. Radware Australia Pty. Ltd. reserves the right to withdraw this Authority if Radware Ltd. breaches the conditions of this Authority.


Signed on behalf of R. Medding & Associates
R. Medding – Principal Consultant
Name/Position in Company
Date: 3 August 2016

LABELLING INSTRUCTION

RCM



Representation of the Mark

The mark must be reproduced exactly as shown above. No variations are permitted.

Size

The size of the “RCM” shall be a minimum of 3mm in height and the Importers Label lettering shall be a minimum of 1mm.

Location

The mark shall be located in a conspicuous position on the external surface of the equipment. The label should be placed as near as possible to the product identification code.

Durability

The mark shall be attached in a permanent manner, that is, cast or etched onto the equipment or affixed by a plate or a label which cannot be removed except by destroying or defacing the equipment.

Supplier's Declaration of Conformity

For Compliance Levels 1,2 and 3 in Australia and Levels of Conformity 1,2 and 3 in New Zealand

As required by notices under:

- section 182 of the Australian Radiocommunications Act 1992;
- section 134 of the New Zealand Radiocommunications Act 1989

INSTRUCTIONS FOR COMPLETION

This completed form remains with the supplier as part of the documentation required for the compliance records. **Do not return to the ACMA.**

SUPPLIER'S DETAILS

Name and Address of Agent

Radware Australia Pty. Ltd.,
Suite 412/434 St. Kilda Road,
MELBOURNE, Victoria 3004
Australia

ACN

092 875 262

Supplier's Code Number

N10815

PRODUCT DETAILS

Product Name, Type and Model

Network Switch Model Nos. OnDemand Switch 3 (RODS3-DEFAULT), OnDemand Switch 3 (RODS3-S1-DEFAULT), OnDemand Switch 3 (RODS3-S2-DEFAULT), ODS3, AppDirector, LinkProof, AppWall, AppXcel, AppXML, SIP Director, InFlight, Virtual Director, APSolute Vision, DefensePro, Content Inspection Director (CID)) and OnDemand Switch 3 all installed with Dual AC Power Supply Zippy DMRW 6400F connected to a 230V line

APPLICABLE STANDARDS

Standard Title, Number and if applicable the Test Report Number

EN55022:2006 - Information technology equipment – Radio disturbance characteristics – Limits and methods of measurement. QuieTek Taiwan Report No. 089328R-ITCEP07V03 dated 29 October 2008

DECLARATION

I hereby declare that the product mentioned above complies with the above mentioned standards and all products supplied under this Declaration will be identical to the sample identified above.

Signature of Authorised Person



Date

22 November 2010

Print Name

Reuben Medding

Position in Organisation

Principal Consultant



R. MEDDING & ASSOCIATES
Engineers & Consultants

Ref: RADW18147AUT.doc
Date: 3 AUGUST 2016

Engineering Manager,
Radware Ltd.,
22 Raoul Wallenberg Street,
TEL AVIV, Israel

Dear Yaniv,

**SUBJECT: TRANSITION FRO C-TICK LABEL TO RCM FOR RADWARE
ONDEMAND SWITCH 3 - VARIOUS DC MODELS**

We refer to your request to us to arrange transition of your product the OnDemand Switch 3 as set out in the Model Description Section on Pg. 2 hereof from C-tick label to RCM.

We have made a Declaration of Conformity according to the Australian Communications and Media Authority and New Zealand Ministry of Business, Innovation and Employment requirements after examining the Test Reports and other documentation you have provided.

A Compliance Folder, in accordance with ACMA regulations, has been set up based on this documentation.

The authority RADW16702LET dated 22 November 2010 authorising your company to label this product with a C-Tick label **is hereby withdrawn.**

Pursuant to the RCM regulations the following importer has been registered on the ACMA database:-

Westcon Group Pty. Ltd.,4/39 Herbert Street, St. Leonards, New South Wales 2065, Australia.

You must advise us of each and every new importer from now on so that they can be registered on the database, otherwise you will be in breach of the regulations and could be subject to a substantial fine.

The following documents are attached to this letter:-

Authority to Label
Labelling Instructions
Suppliers Declaration of Conformity

You are hereby authorised to apply to the abovementioned product, the label which is depicted in the attached Labelling Instruction, but only strictly in accordance with this letter, Authority to Label and the Labelling Instruction.

Yours sincerely,

A handwritten signature in black ink, appearing to read 'R. Medding', with a stylized flourish at the end.

R. MEDDING
R. MEDDING & ASSOCIATES


AUTHORITY TO LABEL

Authority No:	RADW18147AUT
Date of Authority:	3 August 2016
Product:	Network Switch Model Nos. OnDemand Switch 3 (RODS3-DEFDUDC) OnDemand Switch 3 (RODS3-S1-DEFDUDC), OnDemand Switch 3 (RODS3-S2-DEFDUDC), ODS3 DC, AppDirector DC, LinkProof DC, AppWall DC, AppXcel DC, AppXML DC, SIP Director DC, InFlight DC, Virtual Director DC, APSolute Vision DC, DefensePro DC, Content Inspection Director (CID,) DC and OnDemand Switch 3 DC all installed with Dual DC Power Supply Zippy DMRW 6400F connected to a -48v line
Label to be applied:	RCM
Geographical Restrictions:	Australia and New Zealand
Special Conditions:	<p>A sample of the Label must be submitted to RMA for review prior to use.</p> <p>It is incumbent upon Radware Ltd. to notify R. Medding & Associates on a continuing basis of hardware and software changes for the products set out above. Notification shall be given no later than two weeks following such changes.</p> <p>Radware Ltd. must advise R. Medding & Associates of each and every new importer from now on so that they can be registered on the database, otherwise Radware Ltd. will be in breach of the regulations and could be subject to a substantial fine.</p>

GENERAL CONDITIONS

1. The Label shall be reproduced and affixed to the product in accordance with the Conditions set out below and in the attached Labelling Instruction.
2. This Authority to Affix the Label is subject to you continuing to manufacture the product exactly as the sample tested and documentation supplied with the sample. However, you are permitted to make those changes specified in any ECO (Engineering Change Order) to which Radware Australia Pty. Ltd. has given its prior written approval.

Changes which have a regulatory impact may require a supplementary Test Report to a standard to be defined at the time of change.
3. The Label must be used only on the Product referred to in this Authority to Label.
4. The Label must only be used on product sold to Radware Australia Pty. Ltd. *or to* Australian Importers who have appointed Radware Australia Pty. Ltd. as their Agent in accordance with the form of appointment held in the Compliance Folder.
5. The Label must not be used in any way which is likely to be confusing or misleading; inadequate having regard to Australian laws or ACMA requirements or damaging to the reputation of the Australian Communications and Media Authority or Radware Australia Pty. Ltd.. Unauthorised or misleading use of the Mark may be contrary to the Radiocommunications Act 1997, the Trade Marks Act 1995, the Telecommunications Act 1997 or the Trade Practices Act 1974.
6. Radware Australia Pty. Ltd. reserves the right to withdraw this Authority if Radware Ltd. breaches the conditions of this Authority.


Signed on behalf of R. Medding & Associates
R. Medding – Principal Consultant
Name/Position in Company
Date: 22 November 2010

LABELLING INSTRUCTION

RCM



Representation of the Mark

The mark must be reproduced exactly as shown above. No variations are permitted.

Size

The size of the “RCM” shall be a minimum of 3mm in height and the Importers Label lettering shall be a minimum of 1mm.

Location

The mark shall be located in a conspicuous position on the external surface of the equipment. The label should be placed as near as possible to the product identification code.

Durability

The mark shall be attached in a permanent manner, that is, cast or etched onto the equipment or affixed by a plate or a label which cannot be removed except by destroying or defacing the equipment.

Supplier's Declaration of Conformity

For Compliance Levels 1,2 and 3 in Australia and Levels of Conformity 1,2 and 3 in New Zealand

As required by notices under:

- section 182 of the Australian Radiocommunications Act 1992;
- section 134 of the New Zealand Radiocommunications Act 1989

INSTRUCTIONS FOR COMPLETION

This completed form remains with the supplier as part of the documentation required for the compliance records. **Do not return to the ACMA.**

SUPPLIER'S DETAILS

Name and Address of Agent

Radware Australia Pty. Ltd.,
Suite 412/434 St. Kilda Road,
MELBOURNE, Victoria 3004
Australia

ACN

092 875 262

Supplier's Code Number

N10815

PRODUCT DETAILS

Product Name, Type and Model

Network Switch Model Nos. OnDemand Switch 3 (RODS3-DEFDUDC) OnDemand Switch 3 (RODS3-S1-DEFDUDC), OnDemand Switch 3 (RODS3-S2-DEFDUDC), ODS3 DC, AppDirector DC, LinkProof DC, AppWall DC, AppXcel DC, AppXML DC, SIP Director DC, InFlight DC, Virtual Director DC, APSolute Vision DC, DefensePro DC, Content Inspection Director (CID,) DC and OnDemand Switch 3 DC all installed with Dual DC Power Supply Zippy DMRW 6400F connected to a -48v line

APPLICABLE STANDARDS

Standard Title, Number and if applicable the Test Report Number

EN55022:2006 - Information technology equipment – Radio disturbance characteristics – Limits and methods of measurement. QuieTek Taiwan Report No. 089327R-ITCEP07V03 dated 29 October 2008

DECLARATION

I hereby declare that the product mentioned above complies with the above mentioned standards and all products supplied under this Declaration will be identical to the sample identified above.

Signature of Authorised Person



Date

22 November 2010

Print Name

Reuben Medding

Position in Organisation

Principal Consultant



R. MEDDING & ASSOCIATES
Engineers & Consultants

Ref: RADW18150AUT.DOC
Date: 3 AUGUST 2016

Engineering Manager,
Radware Ltd.,
22 Raoul Wallenberg Street,
TEL AVIV, Israel

Dear Sir,

SUBJECT: TRANSITION FROM C-TICK LABEL TO RCM FOR RADWARE ALTEON APPLICATION SWITCH 5412

We refer to your request to us to arrange transition of your product the Alteon Application Switch 5412 as out in the Model Description Section and Table on Pg. 2 hereof from C-tick label to RCM.

We have made a Declaration of Conformity according to the Australian Communications and Media Authority and New Zealand Ministry of Business, Innovation and Employment requirements after examining the Test Reports and other documentation you have provided.

A Compliance Folder, in accordance with ACMA regulations, has been set up based on this documentation.

The authority RADW16482LET dated 7 April 2010 authorising your company to label this product with a C-Tick label **is hereby withdrawn.**

Pursuant to the RCM regulations the following importer has been registered on the ACMA database:-

Westcon Group Pty. Ltd., 4/39 Herbert Street, St. Leonards, New South Wales 2065, Australia.

You must advise us of each and every new importer from now on so that they can be registered on the database, otherwise you will be in breach of the regulations and could be subject to a substantial fine.

The following documents are attached to this letter:-

Authority to Label
Labelling Instructions
Suppliers Declaration of Conformity

You are hereby authorised to apply to the abovementioned product, the label which is depicted in the attached Labelling Instruction, but only strictly in accordance with this letter, Authority to Label and the Labelling Instruction.

Yours sincerely,

A handwritten signature in black ink, appearing to read 'R. Medding', with a stylized flourish at the end.

R. MEDDING
R. MEDDING & ASSOCIATES

AUTHORITY TO LABEL

Authority No:	RADW18150AAUT
Date of Authority:	3 August 2016
Product:	Alteon Application Switch 5412 also known as Alteon Application Switch 5412 XL and Alteon Application Switch 5412 XL AC with Zippy Technology Corporation Power Supply Model No. MRW-5500V4V. This product is identical electronically, physically and mechanically to the products set out in the Table hereunder
Label to be applied:	RCM
Geographical Restrictions:	Australia and New Zealand
Special Conditions:	<p>A sample of the Label must be submitted to RMA for review prior to use.</p> <p>It is incumbent upon Radware Ltd. to notify R. Medding & Associates on a continuing basis of hardware and software changes for the products set out above. Notification shall be given no later than two weeks following such changes.</p> <p>Radware Ltd. must advise R. Medding & Associates of each and every new importer from now on so that they can be registered on the database, otherwise Radware Ltd. will be in breach of the regulations and could be subject to a substantial fine.</p>


Equipment under Test	Description of Product	Other Names
ODS3-XL (AC)	Network Switch also known as Application Switch	Alteon 5412 Alteon 5412 XL Alteon 5412 XL AC RODS3-DEFAULT-ND RODS3XL-DEFAULT RODS3-ALTEON RODS3XL-ALTEON RODS3XL-S1-DEF RODS3XL-S2N-DEF ODS3 LinkProof AppWall AppXcel AppXML SIP Director InFlight Virtual Director APSolute Vision DefensePro Content Inspection Director (CID) OnDemand Switch 3 OnDemand Switch 3 XL

GENERAL CONDITIONS

- The Label shall be reproduced and affixed to the product in accordance with the Conditions set out below and in the attached Labelling Instruction.
- This Authority to Affix the Label is subject to you continuing to manufacture the product exactly as the sample tested and documentation supplied with the sample. However, you are permitted to make those changes specified in any ECO (Engineering Change Order) to which Radware Australia Pty. Ltd. has given its prior written approval.

Changes which have a regulatory impact may require a supplementary Test Report to a standard to be defined at the time of change.

3. The Label must be used only on the Product referred to in this Authority to Label.
4. The Label must only be used on product sold to Radware Australia Pty. Ltd. *or to* Australian Importers who have appointed Radware Australia Pty. Ltd. as their Agent in accordance with the form of appointment held in the Compliance Folder.
5. The Label must not be used in any way which is likely to be confusing or misleading; inadequate having regard to Australian laws or ACMA requirements or damaging to the reputation of the Australian Communications and Media Authority or Radware Australia Pty. Ltd. Unauthorised misleading use of the Mark may be contrary to the Radiocommunications Act 1997, the Trade Marks Act 1995, the Telecommunications Act 1997 or the Trade Practices Act 1974.
6. Radware Australia Pty. Ltd. reserves the right to withdraw this Authority if Radware Ltd. breaches the conditions of this Authority.


Signed on behalf of R. Medding & Associates
R. Medding – Principal Consultant
Name/Position in Company
Date: 3 August 2016

LABELLING INSTRUCTION

RCM



Representation of the Mark

The mark must be reproduced exactly as shown above. No variations are permitted.

Size

The size of the “RCM” shall be a minimum of 3mm in height and the Importers Label lettering shall be a minimum of 1mm.

Location

The mark shall be located in a conspicuous position on the external surface of the equipment. The label should be placed as near as possible to the product identification code.

Durability

The mark shall be attached in a permanent manner, that is, cast or etched onto the equipment or affixed by a plate or a label which cannot be removed except by destroying or defacing the equipment.

Supplier's Declaration of Conformity

For Compliance Levels 1,2 and 3 in Australia and Levels of Conformity 1,2 and 3 in New Zealand

As required by notices under:

- section 182 of the Australian Radiocommunications Act 1992;
- section 134 of the New Zealand Radiocommunications Act 1989

INSTRUCTIONS FOR COMPLETION

This completed form remains with the supplier as part of the documentation required for the compliance records. **Do not return to the ACMA.**

SUPPLIER'S DETAILS

Name and Address of Agent

Radware Australia Pty. Ltd.,
Suite 412/434 St. Kilda Road,
MELBOURNE, Victoria 3004
Australia

ACN

092 875 262

Supplier's Code Number

N10815

PRODUCT DETAILS

Product Name, Type and Model

Alteon Application Switch 5412 also known as Alteon Application Switch 5412 XL and Alteon Application Switch 5412 XL AC with Zippy Technology Corporation Power Supply Model No. MRW-5500V4V. This product is identical electronically, physically and mechanically to the products set out in the Table attached to this Declaration of Conformity

APPLICABLE STANDARDS

Standard Title, Number and if applicable the Test Report Number


EN55022:2006+ A1:2007 - Limits and Methods of Measurement of Radio Disturbance Characteristics of Information Technology Equipment. I.T.L. (Product Testing) Ltd. Report No. E94760.00 dated 4 March 2010

Equipment under Test	Description of Product	Other Names
ODS3-XL (AC)	Network Switch	Alteon 5412 Alteon 5412 XL Alteon 5412 XL AC RODS3-DEFAULT-ND RODS3XL-DEFAULT RODS3-ALTEON RODS3XL-ALTEON RODS3XL-S1-DEF RODS3XL-S2N-DEF ODS3 LinkProof AppWall AppXcel AppXML SIP Director InFlight Virtual Director APSolute Vision DefensePro Content Inspection Director (CID) OnDemand Switch 3 OnDemand Switch 3 XL

DECLARATION

I hereby declare that the products mentioned above comply with the standards set out in the Declaration of Conformity and all products supplied under this Declaration will be identical to the sample identified above.

Signature of Authorised Person



Date

7 April 2010

Print Name

Reuben Medding

Position in Organisation

Principal Consultant



R. MEDDING & ASSOCIATES
Engineers & Consultants

Ref: RADW18151AUT.DOC
Date: 3 AUGUST 2016

Engineering Manager,
Radware Ltd.,
22 Raoul Wallenberg Street,
TEL AVIV, Israel

Dear Sir,

SUBJECT: TRANSITION FROM C-TICK LABEL TO RCM FOR RADWARE ALTEON APPLICATION SWITCH 5412 DC

We refer to your request to us to arrange transition of your product the Alteon Application Switch 5412 DC as out in the Model Description Section and Table on Pg. 2 hereof from C-tick label to RCM.

We have made a Declaration of Conformity according to the Australian Communications and Media Authority and New Zealand Ministry of Business, Innovation and Employment requirements after examining the Test Reports and other documentation you have provided.

A Compliance Folder, in accordance with ACMA regulations, has been set up based on this documentation.

The authority RADW16483LET dated 7 April 2010 authorising your company to label this product with a C-Tick label is **hereby withdrawn**.

Pursuant to the RCM regulations the following importer has been registered on the ACMA database:-

Westcon Group Pty. Ltd., 4/39 Herbert Street, St. Leonards, New South Wales 2065, Australia.

You must advise us of each and every new importer from now on so that they can be registered on the database, otherwise you will be in breach of the regulations and could be subject to a substantial fine.

The following documents are attached to this letter:-

Authority to Label
Labelling Instructions
Suppliers Declaration of Conformity

You are hereby authorised to apply to the abovementioned product, the label which is depicted in the attached Labelling Instruction, but only strictly in accordance with this letter, Authority to Label and the Labelling Instruction.

Yours sincerely,

A handwritten signature in black ink, appearing to read 'R. Medding', with a stylized flourish at the end.

R. MEDDING
R. MEDDING & ASSOCIATES

AUTHORITY TO LABEL

Authority No:	RADW18151AUT
Date of Authority:	3 August 2016
Product:	Alteon Application Switch 5412 DC also known as Alteon Application Switch 5412 XL DC with Zippy Technology Corporation Power Supply Model No. DMRW-5500V4V. This product is identical electronically, physically and mechanically to the products set out in the Table hereunder
Label to be applied:	RCM
Geographical Restrictions:	Australia and New Zealand
Special Conditions:	<p>A sample of the Label must be submitted to RMA for review prior to use.</p> <p>It is incumbent upon Radware Ltd. to notify R. Medding & Associates on a continuing basis of hardware and software changes for the products set out above. Notification shall be given no later than two weeks following such changes.</p> <p>Radware Ltd. must advise R. Medding & Associates of each and every new importer from now on so that they can be registered on the database, otherwise Radware Ltd. will be in breach of the regulations and could be subject to a substantial fine.</p>


Equipment under Test	Description of Product	Other Names
ODS3-XL (DC)	Network Switch also known as Application Switch	Alteon 5412 DC Alteon 5412 XL DC RODS3-DEFDUDC-ND RODS3XL-DEFDUDC RODS3-ALT2DC RODS3-NEBS RODS3XL-ALT2DC RODS3XL-NEBS RODS3XL-S1-2DC RODS3XL-S2N-2DC ODS3 DC LinkProof DC AppWall DC AppXcel DC AppXML DC SIP Director DC InFlight DC Virtual Director DC APSolute Vision DC DefensePro DC Content Inspection Director (CID) DC OnDemand Switch 3 DC OnDemand Switch 3 XL DC

GENERAL CONDITIONS

- The Label shall be reproduced and affixed to the product in accordance with the Conditions set out below and in the attached Labelling Instruction.
- This Authority to Affix the Label is subject to you continuing to manufacture the product exactly as the sample tested and documentation supplied with the sample. However, you are permitted to make those changes specified in any ECO (Engineering Change Order) to which Radware Australia Pty. Ltd. has given its prior written approval.

Changes which have a regulatory impact may require a supplementary Test Report to a standard to be defined at the time of change.

3. The Label must be used only on the Product referred to in this Authority to Label.
4. The Label must only be used on product sold to Radware Australia Pty. Ltd. *or to* Australian Importers who have appointed Radware Australia Pty. Ltd. as their Agent in accordance with the form of appointment held in the Compliance Folder.
5. The Label must not be used in any way which is likely to be confusing or misleading; inadequate having regard to Australian laws or ACMA requirements or damaging to the reputation of the Australian Communications and Media Authority or Radware Australia Pty. Ltd. Unauthorised misleading use of the Mark may be contrary to the Radiocommunications Act 1997, the Trade Marks Act 1995, the Telecommunications Act 1997 or the Trade Practices Act 1974.
6. Radware Australia Pty. Ltd. reserves the right to withdraw this Authority if Radware Ltd. breaches the conditions of this Authority.


Signed on behalf of R. Medding & Associates
R. Medding – Principal Consultant
Name/Position in Company
Date: 3 August 2016

LABELLING INSTRUCTION

RCM



Representation of the Mark

The mark must be reproduced exactly as shown above. No variations are permitted.

Size

The size of the “RCM” shall be a minimum of 3mm in height and the Importers Label lettering shall be a minimum of 1mm.

Location

The mark shall be located in a conspicuous position on the external surface of the equipment. The label should be placed as near as possible to the product identification code.

Durability

The mark shall be attached in a permanent manner, that is, cast or etched onto the equipment or affixed by a plate or a label which cannot be removed except by destroying or defacing the equipment.

Supplier's Declaration of Conformity

For Compliance Levels 1,2 and 3 in Australia and Levels of Conformity 1,2 and 3 in New Zealand

As required by notices under:

- section 182 of the Australian Radiocommunications Act 1992;
- section 134 of the New Zealand Radiocommunications Act 1989

INSTRUCTIONS FOR COMPLETION

This completed form remains with the supplier as part of the documentation required for the compliance records. **Do not return to the ACMA.**

SUPPLIER'S DETAILS

Name and Address of Agent

Radware Australia Pty. Ltd.,
Suite 412/434 St. Kilda Road,
MELBOURNE, Victoria 3004
Australia

ACN

092 875 262

Supplier's Code Number

N10815

PRODUCT DETAILS

Product Name, Type and Model

Alteon Application Switch 5412 DC also known as Alteon Application Switch 5412 XL DC with Zippy Technology Corporation Power Supply Model No. DMRW-5500V4V. This product is identical electronically, physically and mechanically to the products set out in the Table attached hereto.

APPLICABLE STANDARDS

Standard Title, Number and if applicable the Test Report Number


EN55022:2006+ A1:2007 - Limits and Methods of Measurement of Radio Disturbance Characteristics of Information Technology Equipment. I.T.L. (Product Testing) Ltd. Report No. E94764.00 dated 4 March 2010

Equipment under Test	Description of Product	Other Names
ODS3-XL (DC)	Network Switch also known as Application Switch	Alteon 5412 DC Alteon 5412 XL DC RODS3-DEFDUDC-ND RODS3XL-DEFDUDC RODS3-ALT2DC RODS3-NEBS RODS3XL-ALT2DC RODS3XL-NEBS RODS3XL-S1-2DC RODS3XL-S2N-2DC ODS3 DC LinkProof DC AppWall DC AppXcel DC AppXML DC SIP Director DC InFlight DC Virtual Director DC APSolute Vision DC DefensePro DC Content Inspection Director (CID) DC OnDemand Switch 3 DC OnDemand Switch 3 XL DC

DECLARATION

I hereby declare that the products mentioned above comply with the standard set out in the Declaration of Conformity and all products supplied under this Declaration will be identical to the sample identified above.

Signature of Authorised Person



Date

7 April 2010

Print Name

Reuben Medding

Position in Organisation

Principal Consultant



R. MEDDING & ASSOCIATES
Engineers & Consultants

Ref: RADW18152AUT.DOC
Date: 3 AUGUST 2016

Engineering Manager,
Radware Ltd.,
22 Raoul Wallenberg Street,
TEL AVIV, Israel

Dear Sir,

SUBJECT: TRANSITION FROM C-TICK LABEL TO RCM FOR RADWARE ALTEON APPLICATION SWITCH 5412 WITH REDUNDANT AC POWER SUPPLY M/N MRW-5500V4V

We refer to your request to us to arrange transition of your product the Alteon Application Switch 5412 with redundant AC Power Supply as out in the Model Description Section and Table on Pg. 2 hereof from C-tick label to RCM. This Authority is in addition to Authority RADW18150AUT dated 3 August 2016.

We have made a Declaration of Conformity according to the Australian Communications and Media Authority and New Zealand Ministry of Business, Innovation and Employment requirements after examining the Test Reports and other documentation you have provided.

A Compliance Folder, in accordance with ACMA regulations, has been set up based on this documentation.

The authority RADW16626A-LET dated 1 November 2010 authorising your company to label this product with a C-Tick label is **hereby withdrawn**.

Pursuant to the RCM regulations the following importer has been registered on the ACMA database:-

Westcon Group Pty. Ltd., 4/39 Herbert Street, St. Leonards, New South Wales 2065, Australia.

You must advise us of each and every new importer from now on so that they can be registered on the database, otherwise you will be in breach of the regulations and could be subject to a substantial fine.

The following documents are attached to this letter:-

Authority to Label
Labelling Instructions
Suppliers Declaration of Conformity

You are hereby authorised to apply to the abovementioned product, the label which is depicted in the attached Labelling Instruction, but only strictly in accordance with this letter, Authority to Label and the Labelling Instruction.

Yours sincerely,

A handwritten signature in black ink, appearing to read 'R. Medding', with a stylized flourish at the end.

R. MEDDING
R. MEDDING & ASSOCIATES

AUTHORITY TO LABEL

Authority No:	RADW18152AUT
Date of Authority:	3 August 2016
Product:	Alteon Application Switch 5412 also known as Alteon 5412 and Alteon 5412 XL with Zippy Technology Corporation redundant AC Power Supply Model No. MRW-5500V4V. This product is identical electronically, physically and mechanically to the products set out in the Table hereunder
Label to be applied:	RCM
Geographical Restrictions:	Australia and New Zealand
Special Conditions:	<p>A sample of the Label must be submitted to RMA for review prior to use.</p> <p>It is incumbent upon Radware Ltd. to notify R. Medding & Associates on a continuing basis of hardware and software changes for the products set out above. Notification shall be given no later than two weeks following such changes.</p> <p>Radware Ltd. must advise R. Medding & Associates of each and every new importer from now on so that they can be registered on the database, otherwise Radware Ltd. will be in breach of the regulations and could be subject to a substantial fine.</p>


Equipment under Test	Description of Product	Other Names
ODS3-XL (AC)	Network Switch also known as Application Switch	Alteon 5412 Alteon 5412 XL RODS3-DEFAULT-ND RODS3XL-DEFAULT RODS3-ALTEON RODS3XL-ALTEON RODS3XL-S1-DEF RODS3XL-S2N-DEF ODS3 v.2 AppDirector AppDirector XL LinkProof AppWall AppXcel AppXML SIP Director InFlight Virtual Director APSolute Vision DefensePro Content Inspection Director (CID) OnDemand Switch 3 v.2 OnDemand Switch 3 XL

GENERAL CONDITIONS

- The Label shall be reproduced and affixed to the product in accordance with the Conditions set out below and in the attached Labelling Instruction.
- This Authority to Affix the Label is subject to you continuing to manufacture the product exactly as the sample tested and documentation supplied with the sample. However, you are permitted to make those changes specified in any ECO (Engineering Change Order) to which Radware Australia Pty. Ltd. has given its prior written approval.

Changes which have a regulatory impact may require a supplementary Test Report to a standard to be defined at the time of change.

3. The Label must be used only on the Product referred to in this Authority to Label.
4. The Label must only be used on product sold to Radware Australia Pty. Ltd. or to Australian Importers who have appointed Radware Australia Pty. Ltd. as their Agent in accordance with the form of appointment held in the Compliance Folder.
5. The Label must not be used in any way which is likely to be confusing or misleading; inadequate having regard to Australian laws or ACMA requirements or damaging to the reputation of the Australian Communications and Media Authority or Radware Australia Pty. Ltd. Unauthorised misleading use of the Mark may be contrary to the Radiocommunications Act 1997, the Trade Marks Act 1995, the Telecommunications Act 1997 or the Trade Practices Act 1974.
6. Radware Australia Pty. Ltd. reserves the right to withdraw this Authority if Radware Ltd. breaches the conditions of this Authority.


Signed on behalf of R. Medding & Associates
R. Medding – Principal Consultant
Name/Position in Company
Date: 3 August 2016

LABELLING INSTRUCTION

RCM



Representation of the Mark

The mark must be reproduced exactly as shown above. No variations are permitted.

Size

The size of the “RCM” shall be a minimum of 3mm in height and the Importers Label lettering shall be a minimum of 1mm.

Location

The mark shall be located in a conspicuous position on the external surface of the equipment. The label should be placed as near as possible to the product identification code.

Durability

The mark shall be attached in a permanent manner, that is, cast or etched onto the equipment or affixed by a plate or a label which cannot be removed except by destroying or defacing the equipment.

Supplier's Declaration of Conformity

For Compliance Levels 1,2 and 3 in Australia and Levels of Conformity 1,2 and 3 in New Zealand

As required by notices under:

- section 182 of the Australian Radiocommunications Act 1992;
- section 134 of the New Zealand Radiocommunications Act 1989

INSTRUCTIONS FOR COMPLETION

This completed form remains with the supplier as part of the documentation required for the compliance records. **Do not return to the ACMA.**

SUPPLIER'S DETAILS

Name and Address of Agent

Radware Australia Pty. Ltd.,
Suite 412/434 St. Kilda Road,
MELBOURNE, Victoria 3004
Australia

ACN

092 875 262

Supplier's Code Number

N10815

PRODUCT DETAILS

Product Name, Type and Model

Alteon Application Switch 5412 also known as Alteon 5412 and Alteon 5412 XL with Zippy Technology Corporation redundant AC Power Supply Model No. MRW-5500V4V. This product is identical electronically, physically and mechanically to the products set out in the Table hereunder.

APPLICABLE STANDARDS

Standard Title, Number and if applicable the Test Report Number


EN55022:2006+ A1:2007 - Limits and Methods of Measurement of Radio Disturbance Characteristics of Information Technology Equipment. I.T.L. (Product Testing) Ltd. Report No. E100440.00.00 dated 27 July 2010

Equipment under Test	Description of Product	Other Names
ODS3-XL (AC)	Network Switch also known as Application Switch	Alteon 5412 Alteon 5412 XL RODS3-DEFAULT-ND RODS3XL-DEFAULT RODS3-ALTEON RODS3XL-ALTEON RODS3XL-S1-DEF RODS3XL-S2N-DEF ODS3 v.2 AppDirector AppDirector XL LinkProof AppWall AppXcel AppXML SIP Director InFlight Virtual Director APSolute Vision DefensePro Content Inspection Director (CID) OnDemand Switch 3 v.2 OnDemand Switch 3 XL

DECLARATION

I hereby declare that the products mentioned above comply with the standards set out in the Declaration of Conformity and all products supplied under this Declaration will be identical to the sample identified above.

Signature of Authorised Person



Date

1 November 2010

Print Name

Reuben Medding

Position in Organisation

Principal Consultant



R. MEDDING & ASSOCIATES
Engineers & Consultants

Ref: RADW18153AUT.DOC
Date: 3 AUGUST 2016

Engineering Manager,
Radware Ltd.,
22 Raoul Wallenberg Street,
TEL AVIV, Israel

Dear Sir,

SUBJECT: TRANSITION FROM C-TICK LABEL TO RCM FOR RADWARE ALTEON APPLICATION SWITCH 5412 WITH REDUNDANT DC POWER SUPPLY M/N DMRW-5500V4V

We refer to your request to us to arrange transition of your product the Alteon Application Switch 5412 with redundant DC Power Supply as out in the Model Description Section and Table on Pg. 2 hereof from C-tick label to RCM. This Authority is in addition to Authority RADW18151AUT dated 3 August 2016.

We have made a Declaration of Conformity according to the Australian Communications and Media Authority and New Zealand Ministry of Business, Innovation and Employment requirements after examining the Test Reports and other documentation you have provided.

A Compliance Folder, in accordance with ACMA regulations, has been set up based on this documentation.

The authority RADW16627A-LET dated 1 November 2010 authorising your company to label this product with a C-Tick label is **hereby withdrawn**.

Pursuant to the RCM regulations the following importer has been registered on the ACMA database:-

Westcon Group Pty. Ltd., 4/39 Herbert Street, St. Leonards, New South Wales 2065, Australia.

You must advise us of each and every new importer from now on so that they can be registered on the database, otherwise you will be in breach of the regulations and could be subject to a substantial fine.

The following documents are attached to this letter:-

Authority to Label
Labelling Instructions
Suppliers Declaration of Conformity

You are hereby authorised to apply to the abovementioned product, the label which is depicted in the attached Labelling Instruction, but only strictly in accordance with this letter, Authority to Label and the Labelling Instruction.

Yours sincerely,

A handwritten signature in black ink, appearing to read 'R. Medding', with a stylized flourish at the end.

R. MEDDING
R. MEDDING & ASSOCIATES

AUTHORITY TO LABEL

Authority No:	RADW18153AUT
Date of Authority:	3 August 2016
Product:	Alteon Application Switch 5412 DC also known as Alteon 5412 DC and Alteon 5412 XL DC with Zippy Technology Corporation redundant DC Power Supply Model No. DMRW-5500V4V. This product is identical electronically, physically and mechanically to the products set out in the Table hereunder
Label to be applied:	RCM
Geographical Restrictions:	Australia and New Zealand
Special Conditions:	<p>A sample of the Label must be submitted to RMA for review prior to use.</p> <p>It is incumbent upon Radware Ltd. to notify R. Medding & Associates on a continuing basis of hardware and software changes for the products set out above. Notification shall be given no later than two weeks following such changes.</p> <p>Radware Ltd. must advise R. Medding & Associates of each and every new importer from now on so that they can be registered on the database, otherwise Radware Ltd. will be in breach of the regulations and could be subject to a substantial fine.</p>

Equipment under Test	Description of Product	Other Names
ODS3-XL DC	Network Switch also known as Application Switch	Alteon 5412 DC Alteon 5412 XL DC RODS3-DEFDUDC-ND RODS3XL-DEFDUDC RODS3-ALT2DC RODS3-NEBS RODS3XL-ALT2DC RODS3XL-NEBS RODS3XL-S1-2DC ODS3 v.2 DC AppDirector DC AppDirector XL DC LinkProof DC AppWall DC AppXcel DC AppXML DC SIP Director DC InFlight DC Virtual Director DC APSolute Vision DC DefensePro DC Content Inspection Director (CID) DC OnDemand Switch 3 v.2 DC OnDemand Switch 3 XL DC

GENERAL CONDITIONS

- The Label shall be reproduced and affixed to the product in accordance with the Conditions set out below and in the attached Labelling Instruction.
- This Authority to Affix the Label is subject to you continuing to manufacture the product exactly as the sample tested and documentation supplied with the sample. However, you are permitted to make those changes specified in any ECO (Engineering Change Order) to which Radware Australia Pty. Ltd. has given its prior written approval.

Changes which have a regulatory impact may require a supplementary Test Report to a standard to be defined at the time of change.

3. The Label must be used only on the Product referred to in this Authority to Label.
4. The Label must only be used on product sold to Radware Australia Pty. Ltd. *or to* Australian Importers who have appointed Radware Australia Pty. Ltd. as their Agent in accordance with the form of appointment held in the Compliance Folder.
5. The Label must not be used in any way which is likely to be confusing or misleading; inadequate having regard to Australian laws or ACMA requirements or damaging to the reputation of the Australian Communications and Media Authority or Radware Australia Pty. Ltd. Unauthorised misleading use of the Mark may be contrary to the Radiocommunications Act 1997, the Trade Marks Act 1995, the Telecommunications Act 1997 or the Trade Practices Act 1974.
6. Radware Australia Pty. Ltd. reserves the right to withdraw this Authority if Radware Ltd. breaches the conditions of this Authority.



Signed on behalf of R. Medding & Associates

R. Medding – Principal Consultant

Name/Position in Company

Date: 3 August 2016

LABELLING INSTRUCTION

RCM



Representation of the Mark

The mark must be reproduced exactly as shown above. No variations are permitted.

Size

The size of the “RCM” shall be a minimum of 3mm in height and the Importers Label lettering shall be a minimum of 1mm.

Location

The mark shall be located in a conspicuous position on the external surface of the equipment. The label should be placed as near as possible to the product identification code.

Durability

The mark shall be attached in a permanent manner, that is, cast or etched onto the equipment or affixed by a plate or a label which cannot be removed except by destroying or defacing the equipment.

Supplier's Declaration of Conformity

For Compliance Levels 1,2 and 3 in Australia and Levels of Conformity 1,2 and 3 in New Zealand

As required by notices under:

- section 182 of the Australian Radiocommunications Act 1992;
- section 134 of the New Zealand Radiocommunications Act 1989

INSTRUCTIONS FOR COMPLETION

This completed form remains with the supplier as part of the documentation required for the compliance records. **Do not return to the ACMA.**

SUPPLIER'S DETAILS

Name and Address of Agent

Radware Australia Pty. Ltd.,
Suite 412/434 St. Kilda Road,
MELBOURNE, Victoria 3004
Australia

ACN

092 875 262

Supplier's Code Number

N10815

PRODUCT DETAILS

Product Name, Type and Model

Alteon Application Switch 5412 DC also known as Alteon 5412 DC and Alteon 5412 XL DC with Zippy Technology Corporation redundant DC Power Supply Model No. DMRW-5500V4V. This product is identical electronically, physically and mechanically to the products set out in the Table hereunder

APPLICABLE STANDARDS

Standard Title, Number and if applicable the Test Report Number


EN55022:2006+ A1:2007 - Limits and Methods of Measurement of Radio Disturbance Characteristics of Information Technology Equipment. I.T.L. (Product Testing) Ltd. Report No. E100444.00.00 dated 27 July 2010

Equipment under Test	Description of Product	Other Names
ODS3-XL DC	Network Switch also known as Application Switch	Alteon 5412 DC Alteon 5412 XL DC RODS3-DEFDUDC-ND RODS3XL-DEFDUDC RODS3-ALT2DC RODS3-NEBS RODS3XL-ALT2DC RODS3XL-NEBS RODS3XL-S1-2DC ODS3 v.2 DC AppDirector DC AppDirector XL DC LinkProof DC AppWall DC AppXcel DC AppXML DC SIP Director DC InFlight DC Virtual Director DC APSolute Vision DC DefensePro DC Content Inspection Director (CID) DC OnDemand Switch 3 v.2 DC OnDemand Switch 3 XL DC

DECLARATION

I hereby declare that the products mentioned above comply with the standards set out in the Declaration of Conformity and all products supplied under this Declaration will be identical to the sample identified above.

Signature of Authorised Person



Date

1 November 2010

Print Name

Reuben Medding

Position in Organisation

Principal Consultant